

Chimpanzees binge on clay to detox and boost the minerals in their diet

July 28 2015



A juvenile male Zed eats clay. Credit: Anne Schel

Wild chimpanzees in the forests of Uganda are increasingly eating clay

to supplement the minerals in their diet, according to a long-term international study published in the early version of the journal *PLOS ONE*.

The paper led by the University of Oxford describes how the researchers observed wild chimpanzees in the Budongo forest eating and drinking from [clay](#) pits and termite mounds. The paper concludes that this change in diet may be partly due to the widespread destruction of raffia palm trees that chimps relied on for their minerals in the past. However, the main reason seems to be the chimps have recently started to boost the minerals in their diet by eating the clay which also helps them 'detox' and digest their food.

The research was led by Emeritus Professor of Biological Anthropology at Oxford University, Vernon Reynolds, with a team of researchers from the universities of St Andrews, Brighton, Kent, Neuchatel, and Utrecht. Researchers observed the chimps using leaves like clay 'sponges', dipping the leaves in the clay water and returning to their mouths where they squeezed the liquid out with their tongues. They were also seen using their fingers to extract lumps of clay directly from the ground before eating it.

Studies of [wild chimpanzees](#) in the Budongo Forest, Western Uganda, have been continuing uninterrupted since 1990, when Professor Reynolds set up the Budongo Conservation Field Station there.

An analysis of the clay and termite soils shows they are very high in a range of minerals, but the clay was particularly high in aluminium - a feature of kaolinite clays eaten by a range of species, including humans, to aid digestion and detoxification. The chimps' diet, which consists mainly of fruits and leaves, is very high in tannins and the researchers believe that the clay provides an important way for chimpanzees to neutralize these. It is common practice for local women in Budongo to

drink or eat forest clay mixed with water for stomach problems and during pregnancy. Clays, such as kaolinite, also contain sodium, calcium, iron, magnesium and potassium, says the paper, which the Budongo chimps seem to have discovered they can access with their leaf sponges. Accessing the clay with the leaf sponges was also found to provide higher mineral concentrations than taking clay-water or clay directly from the ground.



An adolescent female eats clay. Credit: Anne Schel

Before 2000 feeding on raffia palms was commonly observed among the Sonso chimps, but after 2005 it started to decline. Meanwhile, after 2005, clay soil feeding in Budongo seems to have increased, possibly because of the scarcity of raffia-palm trees which are now used in the local tobacco industry with the leaf stems being used for tying and curing tobacco leaves. The decaying pith of these palm trees was previously an important source of minerals for the chimpanzees.

Lead author Professor Reynolds, from Oxford University, said: 'Raffia is a key source of sodium, but to our surprise the sodium content was very low in the diet so this does not appear to be the main reason for the new clay-bingeing. Instead the wide range of minerals present in their diet suggests that clay is eaten as a general mineral supplement.'

More information: The paper 'Mineral acquisition from clay by Budongo Forest chimpanzees' by Vernon Reynolds et al will be published by *PLOS ONE*.

Provided by Oxford University

Citation: Chimpanzees binge on clay to detox and boost the minerals in their diet (2015, July 28) retrieved 3 May 2024 from

<https://phys.org/news/2015-07-chimpanzees-binge-clay-detox-boost.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.