

## First stars in the universe left a unique signature

July 1 2015



Researchers have identified a unique chemical signature left by the earliest stars in the universe with the first direct measurement under stellar conditions of an important nuclear reaction.

Determining the chemical abundance pattern left by the earliest stars in the universe is no easy feat. A Lawrence Livermore National Laboratory (LLNL) scientist is helping to do just that.

The first stars in the universe formed about 400 million years after the



Big Bang (estimated at 13.8 billion years ago). Inside of these stellar furnaces, nuclear processes fused the hydrogen and helium made by the primordial nucleosynthesis into heavier elements.

An international team led by Brian Bucher of LLNL has made an important contribution to the ability to predict the unique chemical signature left by these early stars with the first direct measurement under stellar conditions of an important nuclear reaction. The research appears in the June 26 issue of the journal, *Physical Review Letters*.

Verification of the existence of these stars is important to understanding the evolution of the universe. Astronomers have been searching for years for long-lived, low-mass stars with the unique nucleosynthetic pattern matching predicted yields.

"It is vital to our understanding of the properties of the first stars and the formation of the first galaxies to verify the predicted composition of stellar ashes by comparing them to observational data," Bucher said.

In order to accurately determine the abundance signature of these <u>early</u> <u>stars</u>, proper modeling of the stars and their <u>nuclear reactions</u> is needed. One reaction that largely influences some key properties of the abundance pattern is the fusion of two carbon nuclei into a magnesium nucleus and one neutron. However, the measurement of stellar reaction rates in the laboratory is difficult because the likelihood of making a successful reaction is quite rare.

In this research, the scientists made a successful measurement of this carbon fusion <u>reaction</u> at stellar energies using a laboratory accelerator.

"With this new measurement, we have significantly improved the precision of this rate for stellar modeling," Bucher said. "We've studied its impact on the resulting stellar abundance pattern predictions, helping



to identify the signature of the universe's elusive first generation of stars and their supernovae."

**More information:** "First Direct Measurement of <sup>12</sup>C(<sup>12</sup>C,n)<sup>23</sup>Mg at Stellar Energies." *Phys. Rev. Lett.* 114, 251102 – Published 25 June 2015. <u>dx.doi.org/10.1103/PhysRevLett.114.251102</u>

## Provided by Lawrence Livermore National Laboratory

Citation: First stars in the universe left a unique signature (2015, July 1) retrieved 1 May 2024 from <u>https://phys.org/news/2015-07-stars-universe-left-unique-signature.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.