

New family of glycerol transporters may help to explain why insects are the most successful group of organisms

August 6 2015

In an article published in the journal *Nature Communications*, researchers from the University of Bergen (Norway), IRTA Institute of Marine Sciences (CSIC) and Institute of Evolutionary Biology (UPF-CSIC) presented the discovery and evolutionary origin of a new subfamily of molecular channels that they suggest may have allowed insects to become the dominant species on earth.

Excluding bacteria, [insects](#) represent more than half of the world's biodiversity and are thus considered to be the most evolutionary successful group of terrestrial organisms in the history of life. The remarkable explosion of different insect lifestyles is due to their ability to colonize highly diverse niches from those with exceptionally hot and arid conditions to others with temperatures far below zero. Since insects are not able to regulate their body temperatures, the success of these organisms has been associated with the appearance of a series of adaptations for survival in the face of desiccation and freezing, including the accumulation of high levels of alcohols such as [glycerol](#) or sorbitol in specific organs.

Until now, however, it was not clear how insects transport glycerol across cell membranes. This is because earlier studies had suggested that major insect groups had lost the membrane channels known as aquaglyceroporins that normally transport glycerol. Such channels emerged in bacteria and multicellular organisms and are distinct from

separate water channels known as aquaporins, which have been found to co-exist with aquaglyceroporins in nearly all organism studied to date. In this study the scientists find that holometabolan insects, which represent the most evolutionarily advanced groups of insects with the greatest biodiversity, have specific genes termed entomoglyceroporins (Eglps) that represent mutated water channels with an enhanced ability for glycerol transport.

By comparing the phylogenetic relationships between the genes, the scientists show that the Eglps are closely related to human aquaporin-4, which is a water-selective [channel](#). To understand how the genes evolved in insects, the scientists generated specific mutants to mimic the evolutionary process and show that a single mutation in the same central regions of the human and insect channels can convert a water-selective channel into an Eglp-type glycerol transporter and vice versa. They then carefully reconstructed the evolutionary history of Eglps and the ancestral aquaglyceroporins in [multicellular organisms](#), and showed that Eglps specifically replaced the aquaglyceroporins in holometabolan insects. Based upon their experimental evidence, the authors suggest that the aquaglyceroporins were supplanted by the Eglp channels probably because the Eglps have an enhanced glycerol transporting ability. The study therefore represents an example of natural Darwinian selection at the molecular level.

Intriguingly, the origin of Eglps in basal hexapods and subsequent replacement of the ancestral aquaglyceroporins in holometabolan insects coincided with episodes of fluctuating temperatures that led to glaciation periods. This suggested that the emergence of the insect Eglps may have favored the unprecedented radiation of insects in all types of ecosystems. This is because a unique innovation of holometabolan insects is the sedentary pupal stage of the life cycle, in which larvae are fully transformed into the adult body pattern, such as a caterpillar to a butterfly. The pupal stage, which is particularly vulnerable to low

temperatures, accumulates particularly high levels of glycerol and may thus not have arisen without the emergence of the Eglps.

More information: Roderick Nigel Finn, François Chauvigné Jon Anders Stavang, Xavier Belles & Joan Cerdà. 2015. Insect glycerol transporters evolved by functional co-option and gene replacement. *Nature Communications* 6: 7814, DOI: 10.1038 / ncomms8814

Provided by University of Bergen

Citation: New family of glycerol transporters may help to explain why insects are the most successful group of organisms (2015, August 6) retrieved 19 April 2024 from <https://phys.org/news/2015-08-family-glycerol-insects-successful-group.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.