

Large-area integration of quantum dots and photonic crystals produce brighter and more efficient light

August 7 2015, by Laura Schmitt





To demonstrate their new technology, researchers fabricated a novel 1mm device (aka Robot Man) made of yellow photonic-crystal-enhanced QDs. Every region of the device has thousands of quantum dots, each measuring about six nanometers. Credit: Gloria See, University of Illinois at Urbana-Champaign



Recently, quantum dots (QDs)—nano-sized semiconductor particles that produce bright, sharp, color light—have moved from the research lab into commercial products like high-end TVs, e-readers, laptops, and even some LED lighting. However, QDs are expensive to make so there's a push to improve their performance and efficiency, while lowering their fabrication costs.

Researchers from the University of Illinois at Urbana-Champaign have produced some promising results toward that goal, developing a new method to extract more efficient and <u>polarized light</u> from <u>quantum dots</u> (QDs) over a large-scale area. Their method, which combines QD and photonic crystal technology, could lead to brighter and more efficient mobile phone, tablet, and computer displays, as well as enhanced LED lighting.

With funding from the Dow Chemical Company, the research team, led by Electrical & Computer Engineering (ECE) Professor Brian Cunningham, Chemistry Professor Ralph Nuzzo, and Mechanical Science & Engineering Professor Andrew Alleyne, embedded QDs in novel polymer materials that retain strong quantum efficiency. They then used electrohydrodynamic jet (e-jet) printing technology to precisely print the QD-embedded polymers onto photonic crystal structures. This precision eliminates wasted QDs, which are expensive to make.

These photonic crystals limit the direction that the QD-generated light is emitted, meaning they produce polarized light, which is more intense than normal QD light output.

According to Gloria See, an ECE graduate student and lead author of the research reported this week in *Applied Physics Letters*, their replica molded photonic crystals could someday lead to brighter, less expensive, and more efficient displays. "Since screens consume large amounts of energy in devices like laptops, phones, and tablets, our approach could



have a huge impact on energy consumption and battery life," she noted.

"If you start with polarized light, then you double your optical efficiency," See explained. "If you put the photonic-crystal-enhanced quantum dot into a device like a phone or computer, then the battery will last much longer because the display would only draw half as much power as conventional displays."

To demonstrate the technology, See fabricated a novel 1mm device (aka Robot Man) made of yellow photonic-crystal-enhanced QDs. The device is made of thousands of quantum dots, each measuring about six nanometers.

"We made a tiny device, but the process can easily be scaled up to large flexible plastic sheets," See said. "We make one expensive 'master' molding template that must be designed very precisely, but we can use the template to produce thousands of replicas very quickly and cheaply."

Provided by University of Illinois at Urbana-Champaign

Citation: Large-area integration of quantum dots and photonic crystals produce brighter and more efficient light (2015, August 7) retrieved 26 April 2024 from <u>https://phys.org/news/2015-08-large-area-quantum-dots-photonic-crystals.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.