


# Lice in at least 25 states show resistance to common treatments

August 18 2015

---



Lice populations in the states in pink have developed a high level of resistance to some of the most common treatments. Credit: Kyong Yoon, Ph.D.

For students, the start of the school year means new classes, new friends,

homework and sports. It also brings the threat of head lice. The itch-inducing pests lead to missed school days and frustrated parents, who could have even more reason to be wary of the bug this year. Scientists report that lice populations in at least 25 states have developed resistance to over-the-counter treatments still widely recommended by doctors and schools.

The researchers are presenting their work today at the 250th National Meeting & Exposition of the American Chemical Society (ACS).

"We are the first group to collect lice samples from a large number of populations across the U.S.," says Kyong Yoon, Ph.D. "What we found was that 104 out of the 109 lice populations we tested had high levels of gene [mutations](#), which have been linked to [resistance](#) to pyrethroids."

Pyrethroids are a family of insecticides used widely indoors and outdoors to control mosquitoes and other insects. It includes permethrin, the active ingredient in some of the most common lice treatments sold at drug stores.

Yoon, who is with Southern Illinois University, Edwardsville, explains that the momentum toward widespread pyrethroid-resistant lice has been building for years. The first report on this development came from Israel in the late 1990s. Yoon became one of the first to report the phenomenon in the U.S. in 2000 when he was a graduate student at the University of Massachusetts, Amherst.

"I was working on insecticide metabolism in a potato beetle when my mentor, John Clark, suggested I look into the resurgence of [head lice](#)," he says. "I asked him in what country and was surprised when he said the U.S."

Intrigued, Yoon followed up on the lead and contacted schools near the

university to collect samples. He suspected that the lice had developed resistance to the most common insecticides people were using to combat the bugs. So he tested the pests for a trio of genetic mutations known collectively as *kdr*, which stands for "knock-down resistance." *kdr* mutations had initially been found in house flies in the late '70s after farmers and others had shifted to pyrethroids from DDT and other harsh insecticides.

Yoon found that many of the lice did indeed have *kdr* mutations, which affect an insect's nervous system and desensitize them to pyrethroids. Since then, he has expanded his survey.

In the most recent study, he cast the widest net yet, gathering lice from 30 states with the help of a broad network of public health workers. Population samples with all three genetic mutations associated with *kdr* came from 25 states, including California, Texas, Florida and Maine. Having all the mutations means these populations are the most resistant to pyrethroids. Samples from four states—New York, New Jersey, New Mexico and Oregon—had one, two or three mutations. The only state with a population of lice still largely susceptible to the insecticide was Michigan. Why lice haven't developed resistance there is still under investigation, Yoon says.

The solution? Yoon says that lice can still be controlled by using different chemicals, some of which are available only by prescription.

But the situation also offers a cautionary tale. "If you use a chemical over and over, these little creatures will eventually develop resistance," Yoon says. "So we have to think before we use a treatment. The good news is head [lice](#) don't carry disease. They're more a nuisance than anything else."

**More information:** Pyrethroid-resistant head lice: Updated status,

lessons learned and management in the 21st century, the 250th National Meeting & Exposition of the American Chemical Society (ACS).

Provided by American Chemical Society

Citation: Lice in at least 25 states show resistance to common treatments (2015, August 18)  
retrieved 19 April 2024 from

<https://phys.org/news/2015-08-lice-states-resistance-common-treatments.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.