


New mechanism discovered for controlling ultracold chemical reactions

August 3 2015



Researchers have discovered a new interference mechanism in ultracold chemical reactions, one which has important technological applications in precision measurements, sensing and quantum computing.

"Remarkable progress in cooling and trapping molecules in recent years has opened up an entirely new energy regime for studying chemical reactivity at temperatures below one micro-Kelvin," said Brian Kendrick, of the Los Alamos National Laboratory's Theoretical Division. "Ultracold chemistry exhibits unique quantum properties, which provides a switch for effectively turning the reaction on or off."

Chemical reactions at ultracold temperatures have unique ([quantum](#)) properties that do not occur at normal room temperatures, causing the ultracold chemical reaction rates to be comparable to or even larger than they are at room temperature.

The discovery of a new mechanism for controlling ultracold chemical reactions is based on the interference between two reaction pathways, which contribute to the total chemical reaction rate. The pathways add up or interfere with each other, either constructively or destructively.

At ultracold temperatures, the interference between these pathways becomes dramatically enhanced, reaching the maximum or minimum possible values allowed. Scientists can use this new mechanism to switch the reaction on or off by applying external electric or magnetic fields to control whether the interference is constructive or destructive.

This new mechanism is a general property of ultracold [chemical reactions](#) and will play a crucial role in their technological applications.

More information: *Nature Communications* 6, Article number: 7918
[DOI: 10.1038/ncomms8918](https://doi.org/10.1038/ncomms8918)

Provided by Los Alamos National Laboratory

Citation: New mechanism discovered for controlling ultracold chemical reactions (2015, August 3) retrieved 20 April 2024 from

<https://phys.org/news/2015-08-mechanism-ultracold-chemical-reactions.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.