

Meet Pulanesaura eocollum, a new species of dinosaur

August 20 2015



Wits PhD student Blair McPhee has described a new species of dinosaur in a paper to be published in *Scientific Reports* on 19 September 2015. The new dinosaur, named Pulanesaura eocollum, means the "Rain lizard".

According to the authors of the paper - McPhee, Dr Matthew Bonnan (Stockton University), Dr Jonah Choiniere (Evolutionary Studies Institute at Wits), Dr Adam Yates (Scientist at the Museum of Central Australia) and Dr Johann Neveling (Geologist from the Council of Geoscience, SA), Pulanesaura was an early member of the long-necked



sauropod lineage of dinosaurs, famously represented by Brontosaurus.

Eating habits

The researchers says that the specialised teeth, vertebrae, and forelimb of Pulanesaura was an indication that the <u>new species</u> would have spent all of its time on all fours, browsing lower vegetation. This novel feeding strategy would have resulted in a more energetically conservative feeding posture for Pulanesaura.

This is unlike more primitive prosauropod (scientifically referred to as "basal sauropodomorph") dinosaurs, which still relied on the forelimb to aid in gathering food from across a broad range of the forest canopy.

Early sauropods like Pulanesaura are incredibly rare in the fossil record, with only a handful of good sauropod specimens known from the Early Jurassic, a time period between 200 and 180 million years ago, when Pulanesaura would have lived.

Much more common at that time in South Africa were bipedal or semibipedal sauropodomorph dinosaurs like Massospondylus and Antetonitrus. This might have been because the unique feeding strategy of Pulanesaura restricted the number of lower-browsing dinosaurs that the early Jurassic landscape could have supported.

"This dinosaur showcases the unexpected diversity of locomotion and feeding strategies present in South Africa 200 million years ago. This has serious implications for how dinosaurs were carving up their ecosystems," says McPhee.





"We used to think that only two <u>species</u> of sauropodomorph dinosaur were present in South Africa. Now we know that the picture was much more complicated, with lots of species present. But Pulanesaura is still special because it was doing something that all these newly discovered species weren't," says Choiniere.

Pulanesaura description

- Pulanesaura was relatively small (for a sauropod), at about eight metres in length, two metres at the hips, and 5 tonnes in body mass.
- Unlike its bipedal ancestors, who used the forelimb as an additional means of gathering food, Pulanesaura would have had



to rely on the flexibility of its long neck alone.

- Flexibility in the neck meant that the forelimb of Pulanesaura was able to shift to a position entirely beneath the body, thus better supporting the weight of the animal.
- Modifications of the neck may have also meant that it would not have needed to move its body about as much to feed – and less movement means less energy expended. This method of feeding was taken to extreme lengths by all gigantic sauropod species.

Bonnan adds, "The traditional picture of sauropod evolution is that when they came onto the scene, the other sauropodomorphs were pushed aside. Pulanesaura turns this notion on its head. Sauropod evolution was occurring alongside and influenced by competition with their sauropodomorph brethren."

History of the name

The fossils of Pulanesaura were found at Heelbo, a farm in the Eastern Free State where two other recently described South African dinosaur species also come from – Aardonyx and Arcusaurus, both more primitive members of the same lineage.

The late Naude Bremer, former owner of Heelbo, was a strong proponent of palaeontology on his farm. "Pulane" was the childhood Sesotho nickname of Bremer's daughter, Panie.

Roughly translated, "Pulane" means "comes with rain," and Pulanesaura was excavated during a particularly rainy period on the property.

These species, along with limb bones of a small predatory dinosaur, the teeth of a huge predatory dinosaur and other bones of as-yet-unknown <u>dinosaurs</u> make Heelbo one of the richest dinosaur localities in southern Africa.



Yates, who excavated the fossil, believes that Heelbo Farm was different from the rest of South Africa 200 million years ago when Pulanesaura was alive.

"The <u>dinosaur fossils</u> we see at Heelbo are different from the typical South African Early Jurassic species and they might have been living in a rare habitat different than the drier ones favoured by famous species like Massospondylus," he says.

Neveling says what makes Heelbo unique is the fact that unlike the majority of localities of this age which represent dry flood plains, its geology is characterised by a dense concentration of river channel deposits.

"Similar to modern arid environments, the river banks would have supported much denser vegetation that would have provided plenty of food to budding giants," Neveling adds.

More information: "A new basal sauropod from the pre-Toarcian Jurassic of South Africa: evidence of niche-partitioning at the sauropodomorph–sauropod boundary?" *Scientific Reports* 5, Article number: 13224 (2015) DOI: 10.1038/srep13224

Provided by Wits University

Citation: Meet Pulanesaura eocollum, a new species of dinosaur (2015, August 20) retrieved 27 April 2024 from <u>https://phys.org/news/2015-08-pulanesaura-eocollum-species-dinosaur.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.