


# Researchers propose new way to chart the cosmos in 3D

September 18 2015



UBC researchers are proposing a new way to calculate distances in the cosmos using mysterious bursts of energy. Credit: Upper: Keith Vanderlinde, Lower: Kris Sigurdson

If only calculating the distance between Earth and far-off galaxies was as easy as pulling out the old measuring tape. Now UBC researchers are proposing a new way to calculate distances in the cosmos using mysterious bursts of energy.

In a study featured today in the journal *Physical Review Letters*, UBC

researchers propose a new way to calculate cosmological distances using the bursts of energy also known as fast radio bursts. The method allows researchers to position distant galaxies in three dimensions and map out the cosmos.

"We've introduced the idea of using these new phenomena to study cosmological objects in the universe," said Kiyoshi Masui, a postdoctoral fellow at UBC and a global scholar with the Canadian Institute for Advanced Research. "We believe we'll be able to use these flashes to put together a picture of how galaxies are spread through space."

Some unknown astrophysical phenomenon is causing these bursts of energy that appear as a short flashes of radio waves. While only 10 fast radio bursts have ever been recorded, scientists believe there could be thousands of them a day.

As these fast radio bursts travel toward Earth, they spread out and arrive at different times based on their wavelengths. The researchers propose using the delay between the arrival times of different frequencies to map the cosmos. The amount of spread in the signal that arrives on Earth gives scientists a sense of how many electrons, and by extension how much material including stars, gas and dark matter, are in between Earth and the source of the burst.

Canada's CHIME (Canadian Hydrogen Intensity Mapping Experiment) radio telescope could offer the first set of regular data from fast radio bursts. The project is a collaboration between Canadian universities UBC, McGill, and the University of Toronto and is currently under construction at the Dominion Radio Astrophysical Observatory in Penticton, Canada.

"CHIME has the potential of seeing tens to hundreds of these events per day so we can build a catalogue of events," said Kris Sigurdson, associate

professor in the Department of Physics and Astronomy who is also part of the CHIME project. "If they are cosmological, we can use this information to build catalogue of galaxies."

This method could be an efficient way to build a three-dimensional image of the cosmos. The tool could also be used to map the distribution of material in the universe and inform our understanding of how it evolved.

## Background

To measure the distance to far away objects and map space, scientists typically use the redshift of light, a technique based on the understanding that our universe is expanding. The further away an object is from the Earth, the faster it moves. The new research offers scientists a different way to chart how matter is distributed in the universe.

With this new method, scientists use the information from radio bursts somewhat like how the time-stamped radio signals of GPS satellites are used to locate our location on Earth. However, this cosmological positioning system is used in reverse to locate where the radio signals are coming from.

Provided by University of British Columbia

Citation: Researchers propose new way to chart the cosmos in 3D (2015, September 18) retrieved 10 April 2024 from <https://phys.org/news/2015-09-cosmos-3d.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.