

4-D technology allows self-folding of complex objects

September 21 2015



Self-folding process of smart shape-memory materials with slightly different responses to heat. Using materials that fold at slightly different rates is important to ensure that the components do not interfere with one another during the process. Credit: Qi Laboratory, Georgia Tech



Using components made from smart shape-memory materials with slightly different responses to heat, researchers have demonstrated a fourdimensional printing technology that allowed creation of complex selffolding structures.

The technology, developed by researchers at the Georgia Institute of Technology and the Singapore University of Technology and Design (SUTD), could be used to create 3-D structures that sequentially fold themselves from components that had been flat or rolled into a tube for shipment. The components could respond to stimuli such as temperature, moisture or light in a way that is precisely timed to create space structures, deployable medical devices, robots, toys and range of other structures.

The researchers used smart shape memory polymers (SMPs) with the ability to remember one shape and change to another programmed shape when uniform heat is applied. The ability to create objects that change shape in a controlled sequence over time is enabled by printing multiple materials with different dynamic mechanical properties in prescribed patterns throughout the 3-D object. When these components are then heated, each SMP responds at a different rate to change its shape, depending on its own internal clock. By carefully timing these changes, 3-D objects can be programmed to self-assemble.

The research was reported September 8 in the journal *Scientific Reports*, which is published by Nature Publishing. The work is funded by the U.S. Air Force Office of Scientific Research, the U.S. National Science Foundation and the Singapore National Research Foundation through the SUTD DManD Centre.





Yiqi Mao, a postdoctoral fellow in the laboratory of Professor Jerry Qi at Georgia Tech, shows a folded box structure produced from smart shape-memory materials. The materials were created with the 3-D printer shown with him. Credit: Candler Hobbs, Georgia Tech

The research creates self-folding structures from 3-D printed patterns containing varying amounts of different smart <u>shape-memory polymers</u>. The patterning, done with a 3-D printer, allows the resulting flat components to have varying temporal response to the same stimuli. Earlier methods required application of differential heating at specific locations in the flat structure to stimulate the shape changes.

"Previous efforts to create sequential shape changing components involved placing multiple heaters at specific regions in a component and



then controlling the on-and-off time of individual heaters," explained Jerry Qi, a professor in the George W. Woodruff School of Mechanical Engineering at Georgia Tech. "This earlier approach essentially requires controlling the heat applied throughout the component in both space and time and is complicated. We turned this approach around and used a spatially uniform temperature which is easier to apply and then exploited the ability of different materials to internally control their rate of shape change through their molecular design."

The team demonstrated the approach with a series of examples including a mechanism that can be switched from a flat strip into a locked configuration as one end controllably bends and threads itself through a keyhole. They also demonstrated a flat sheet that can fold itself into a 3-D box with interlocking flaps. These examples all require the precise control of the folding sequence of different parts of the structure to avoid collisions of the components during folding.

"We have exploited the ability to 3-D print smart polymers and integrate as many as ten different materials precisely into a 3-D structure," said Martin L. Dunn, a professor at Singapore University of Technology and Design who is also the director of the SUTD Digital Manufacturing and Design Centre. "We are now extending this concept of digital SMPs to enable printing of SMPs with dynamic mechanical properties that vary continuously in 3-D space."

The team used companion finite element simulations to predict the responses of the 3-D printed components, which were made from varying ratios of two different commercially-available <u>shape-memory</u> <u>polymers</u>. A simplified reduced-order model was also developed to rapidly and accurately describe the physics of the self-folding process.

"An important aspect of self-folding is the management of selfcollisions, where different portions of the folding <u>structure</u> contact and



then block further folding," the researchers said in their paper. "A metric is developed to predict collisions and is used together with the reducedorder model to design self-folding structures that lock themselves into stable desired configurations."

The research team envisions a broad range of applications for their technology. For example, an unmanned air vehicle might change shape from one designed for a cruise mission to one designed for a dive. Also possible would be 3-D components designed to fold flat or be rolled up into tubes so they could be easily transported, and then later deformed into their intended 3-D configuration for use.

Provided by Georgia Institute of Technology

Citation: 4-D technology allows self-folding of complex objects (2015, September 21) retrieved 23 June 2024 from <u>https://phys.org/news/2015-09-d-technology-self-folding-complex.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.