


Connecting the dots for cell adhesion

September 15 2015



Dr Rashmi Priya and Professor Alpha Yap

University of Queensland researchers have discovered a new signalling pathway that controls cell adhesion, an important process that is disrupted in diseases such as skin cancer and inflammation.

Dr Rashmi Priya from UQ's Institute for Molecular Bioscience (IMB) said the research clarifies the role of the protein [myosin](#) in tissue integrity.

"Myosin is found at cell adhesion points and we know it plays a necessary role in regulating how [cells](#) stick together to form coherent tissues," she said.

"Our research has shown this is because myosin protects a signalling molecule called Rho, an important switch that stabilizes adherence points between cells.

"Rho affects many processes within the body so must be very tightly controlled.

"Too much or too little, or in the wrong place, can lead to [cancer](#) and inflammation.

"Myosin helps to control and protect Rho by blocking a molecule that inactivates Rho and can therefore cause tissues to break down in diseases such as cancer."

Professor Alpha Yap, who led the research team, said cell adhesion was not a simple glue.

"The cells in all the tissues of our body die and have to be replaced as regularly as every 24 hours in the intestinal system," he said.

"For this to happen, adhesion between cells must be carefully broken down and rebuilt, and we now have a better understanding of the pathway controlling this.

"Losing myosin function contributes to the progression of [skin cancer](#), and our new work gives an important clue as to why this might happen when Rho signalling is disrupted, causing a loss of [cell adhesion](#) and tissue integrity."

The researchers said that the Australian Cancer Research Foundation Cancer Biology Imaging Facility at IMB played a vital role in this research.

"The Facility allowed us to develop and test new tools for studying Rho and myosin in cells," Professor Yap said.

The Facility is one of the largest and most comprehensively equipped facilities in Australia for both the imaging and screening of chemical and biological libraries.

More information: "Feedback regulation through myosin II confers robustness on RhoA signalling at E-cadherin junctions." *Nature Cell Biology* (2015) [DOI: 10.1038/ncb3239](https://doi.org/10.1038/ncb3239)

Provided by University of Queensland

Citation: Connecting the dots for cell adhesion (2015, September 15) retrieved 10 April 2024 from <https://phys.org/news/2015-09-dots-cell-adhesion.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--