

Light-based memory chip is the first ever to store data permanently

September 22 2015



The world's first entirely light-based memory chip to store data permanently has been developed by material scientists at Oxford University and University of Münster in collaboration with scientists at Karlsruhe and Exeter. The device, which makes use of materials used in CDs and DVDs, could help dramatically improve the speed of modern computing.

Today's computers are held back by the relatively slow transmission of



electronic data between the processor and the <u>memory</u>. "There's no point using faster processors if the limiting factor is the shuttling of information to-and-from the memory—the so-called von-Neumann bottleneck," explains Professor Harish Bhaskaran, the Oxford engineer who led the research along with Professor Wolfram Pernice from the University of Münster. "But we think using light can significantly speed this up."

Simply bridging the processor-memory gap with photons isn't efficient, though, because of the need to convert them back into electronic signals at each end. Instead, memory and processing capabilities would need be light-based too. Researchers have tried to create this kind of photonic memory before, but the results have always been volatile, requiring power in order to store data. For many applications—such as computer disk drives—it's essential to be able to store data indefinitely, with or without power.

Now, an international team of researchers—including researchers from Oxford University's Department of Materials, the University of Münster, the Karlsruhe Institute of Technology and the University of Exeter—has produced the world's first all-photonic nonvolatile memory chip. The new device uses the phase-change material Ge2Sb2Te5 (GST)—the same as that used in rewritable CDs and DVDs—to store data. This material can be made to assume an amorphous state, like glass, or a crystalline state, like a metal, by using either electrical or optical pulses. In a paper published in *Nature Photonics*, the researchers describe the device they've created, which uses a small section of GST on top of a silicon nitride ridge, known as a waveguide, to carry light.

The team has shown that intense pulses of light sent through the waveguide can carefully change the state of the GST. An intense pulse causes it to momentarily melt and quickly cool, causing it to assume an amorphous structure; a slightly less-intense pulse can put it into an



crystalline state.

Later, when light with much lower intensity is sent through the waveguide, the difference in the state of the GST affects how much light is transmitted. The team can measure that difference to identify its state—and in turn read off the presence of information in the device as a 1 or 0. "This is the first ever truly non-volatile integrated optical memory device to be created," explains Clarendon Scholar and DPhil student Carlos Ríos, one of two lead authors of the paper along with Matthias Stegmaier. "And we've achieved it using established materials that are known for their long-term data retention—GST remains in the state that it's placed in for decades."

By sending different wavelengths of light through the waveguide at the same time—a technique referred to as wavelength multiplexing—the team also showed that they could use a single pulse to write and read to the memory at the same time. "In theory, that means we could read and write to thousands of bits at once, providing virtually unlimited bandwidth," explains Professor Wolfram Pernice of the University of Munster.

The researchers have also found that different intensities of strong pulses can accurately and repeatedly create different mixtures of amorphous and crystalline structure within the GST. When lower intensity pulses were sent through the waveguide to read the contents of the device, they were also able to detect the subtle differences in transmitted light, allowing them to reliably write and read off eight different levels of state composition—from entirely crystalline to completely amorphous. This multi-state capability could provide memory units with more than the usual binary information of 0 and 1, allowing a single bits of memory to store several states or even perform calculations themselves instead of at the processor.



"This is a completely new kind of functionality using proven existing materials," explains Professor Bhaskaran. "These optical bits can be written with frequencies of up to one gigahertz and could provide huge bandwidths. This is the kind of ultra-fast data storage that modern computing needs."

Now, the team is working on a number of projects that aim to make use of the new technology. They're particularly interested in developing a new kind of electro-optical interconnect, which will allow the <u>memory</u> <u>chips</u> to directly interface with other components using light, rather than electrical signals.

More information: "Integrated all-photonic non-volatile multi-level memory," *Nature Photonics* (2015) <u>DOI: 10.1038/nphoton.2015.182</u>

Provided by Oxford University

Citation: Light-based memory chip is the first ever to store data permanently (2015, September 22) retrieved 2 May 2024 from <u>https://phys.org/news/2015-09-light-based-memory-chip-permanently.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.