


Physicists create exotic states that could lead to new kinds of sensors and optical devices

September 9 2015



A schematic drawing of how a ring of exceptional points (shown in white) can be spawned from a Dirac point (a dot), and thus change the dispersion from the normal, widely known conical shape into an exotic lantern-like shape. Credit: MIT

The Dirac cone, named after British physicist Paul Dirac, started as a


concept in particle and high-energy physics and has recently become important in research in condensed matter physics and material science. It has since been found to describe aspects of graphene, a two dimensional form of carbon, suggesting the possibility of applications across various fields.

Now physicists at MIT have found another unusual phenomenon produced by the Dirac cone: It can spawn a phenomenon described as a "ring of exceptional points." This connects two fields of research in physics and may have applications in building powerful lasers, precise optical sensors, and other devices.

The results are published this week in the journal *Nature* by MIT postdoc Bo Zhen, Yale University postdoc Chia Wei Hsu, MIT physics professors Marin Soljačić and John Joannopoulos, and five others.

This work represents "the first experimental demonstration of a ring of exceptional points," Zhen says, and is the first study that relates research in exceptional points with the physical concepts of parity-time symmetry and Dirac cones.

Individual exceptional points are a peculiar phenomenon unique to an unusual class of physical systems that can lead to counterintuitive phenomena. For example, around these points, opaque materials may seem more transparent, and light may be transmitted only in one direction. However, the practical usefulness of these properties is limited by absorption loss introduced in the materials.



A schematic picture showing the conical dispersion of a Dirac cone being deformed into a new hour-glass-like shape due to radiation. Credit: MIT

The MIT team used a nanoengineered material called a [photonic crystal](#) to produce the exceptional ring. This new ring of exceptional points is different from those studied by other groups, making it potentially more practical, the researchers say.

"Instead of absorption loss, we adopt a different loss mechanism—radiation loss—which does not affect the device performance," Zhen says. "In fact, radiation loss is useful and is necessary in devices like lasers."

This phenomenon could enable creation of new kinds of optical systems

with novel features, the MIT team says.

"One important possible application of this work is in creating a more powerful laser system than existing technologies allow," Soljačić says. To build a more powerful laser requires a bigger lasing area, but that introduces more unwanted "modes" for light, which compete for power, limiting the final output.

"Photonic crystal surface-emitting lasers are a very promising candidate for the next generation of high-quality, high-power compact laser systems," Soljačić says, "and we estimate we can improve the output power limit of such lasers by a factor of at least 10."

"Our system could also be used for high-precision detectors for biological or chemical materials, because of its extreme sensitivity," Hsu says. This improved sensitivity is due to another exotic property of the exceptional points: Their response to perturbations is not linear to the perturbation strength.

Normally, Hsu says, it becomes very difficult to detect a substance when its concentration is low. When the concentration of the target substance is reduced by a million times, the overall signal also decreases by a million times, which can make it too small to detect.

"But at an exceptional point, it's not linear anymore," Hsu says, "and the signal goes down by only 1,000 times, providing a much bigger response that can now be detected."

More information: Spawning rings of exceptional points out of Dirac cones, [DOI: 10.1038/nature14889](https://doi.org/10.1038/nature14889)

Provided by Massachusetts Institute of Technology

Citation: Physicists create exotic states that could lead to new kinds of sensors and optical devices (2015, September 9) retrieved 10 April 2024 from

<https://phys.org/news/2015-09-physicists-exotic-states-kinds-sensors.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--