

Dunes, dust devils and the Martian weather

October 8 2015, by Lori Fenton



I study how windblown desert features can be used to monitor wind patterns and atmospheric conditions in remote places, such as Mars, where there are plenty of pictures of the surface but not many instruments on the ground.

These features include <u>sand dunes</u> and ripples, <u>dust devils</u>, and surfaces scoured by sandblasting. I use <u>atmospheric models</u>, remote sensing, and field work at planetary analog sites to figure out how these desert features can be used to learn about, and monitor, changing weather



patterns.

Dunes and ripples are windblown piles of sand that align in particular ways, depending on whether a region experiences winds blowing from one, two, or more directions throughout the year. By careful study of the alignment of the dunes and ripples, we can figure out which directions the wind blows, and which winds are the strongest. Wind regimes change as the climate shifts, forcing dunes to reorient – but they take time to do so, so that older <u>wind patterns</u> can often be seen beneath the new ones, like old ink on a palimpsest. By deciphering these old patterns, we can learn something about ancient wind regimes and the climates that produced them.

Dust devils form in deserts where the surface is much hotter than the air above it; their occurrence, size, and movement can tell us about <u>atmospheric conditions</u> where they form. Dust devils loft dust into the atmosphere, which absorbs sunlight and influences atmospheric temperatures. On Earth, mineral dust aerosols are a major driver of climate change, but the role they play is not well understood. On Mars, lofted dust is even more important and even less well understood. With a better understanding of <u>dust</u> devil development and physical characteristics, we can make inferences about local weather conditions in remote places where there are no weather stations.





A Piece of Mars: The dark dunes in this 0.96×0.54 km (0.60×0.34 mi) scene are slowly migrating towards the lower left. Look closer and you'll see brighter ripples between the dunes – the biggest ones are ~8m (26 ft) apart. They form trains in the wake of the dunes. Why? This is where the dunes previously marched on by, obliterating the ripples as they went. Ripples form again after the dunes pass by, growing in size and regularity with time. Credit: HiRISE ESP_01746_2570, NASA/JPL/Univ. of Arizona

How does this relate to astrobiology? Thriving ecosystems only form where local climatic conditions are comfortable and stable. Understanding the climate state of exoplanets requires use of climate models, which need as much input data as they can get. The better we can remotely determine the climate patterns on another world, the better we will be able to figure out if they're stable enough to allow life to form and evolve. My work is to improve those models.





A towering dust devil casts a serpentine shadow over the Martian surface in this image acquired by the High Resolution Imaging Science Experiment (HiRISE) camera on NASA's Mars Reconnaissance Orbiter. Credit: NASA/JPL-Caltech/Univ. of Arizona

Provided by SETI Institute

Citation: Dunes, dust devils and the Martian weather (2015, October 8) retrieved 2 May 2024 from <u>https://phys.org/news/2015-10-dunes-devils-martian-weather.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.