


## NASA eyes on Earth aid response to Carolina flooding

October 9 2015, by Alan Buis



Relative soil moisture over the Carolinas on Oct. 5, 2015, shown in percent. Green indicates the soils are 50 to 65 percent saturated, while blues and purples indicate 65 to 100 percent saturated. Saturated soils can hold no more water so those areas will flood. Credit: NASA's Marshall Space Flight Center



It was rain that wouldn't quit. A weather system fueled by warm moisture streaming in from the Atlantic Ocean on Oct. 3 and 4 relentlessly dumped between 1 and 2 feet (0.3 and 0.6 meters) of rain across most of South Carolina. The result was rivers topping their banks and dams bursting. Catastrophic flooding followed across most of the state, which has left residents in some areas without power or clean drinking water.

Tracking and predicting the deluge, both as rain and then as floodwater, are the first steps to help protect people in harm's way. State and federal emergency managers have been on the front lines of this natural disaster since it began, armed with weather and flood forecasts from the National Weather Service. NASA has supported these efforts with information based on data from Earth-observing satellites in space.

The Global Precipitation Measurement, or GPM, mission, a joint project of NASA and the Japan Aerospace Exploration Agency (JAXA), provided regular data on the amount of rain falling across the region. The GPM Core Observatory, launched in 2014, combines data with a network of international partner satellites that together provide updated rainfall estimates every three hours. These data, managed by NASA's Goddard Space Flight Center in Greenbelt, Maryland, confirmed the record-breaking rainfall totals and fed into other systems that helped forecast the extent of the flooding in the region.


As essential as following the rain is knowing what happens when it reaches the ground. The NASA Short-term Prediction Research and Transition Center, or SPoRT, at Marshall Space Flight Center in Huntsville, Alabama, runs a computer simulation model called the NASA Land Information System for most of the central and eastern United States, including the Carolinas. The SPoRT Project used rainfall



data from the GPM mission and measurements from NASA's Soil Moisture Active Passive satellite in this near real-time simulation, and provided the National Weather Service (NWS) forecast offices with experimental soil moisture data that can aid short-term flood forecasting. Soil moisture describes the ability of the ground to absorb water, like a sponge. During the record-setting rainfall event, soil moisture across South Carolina reached 75 to 100 percent saturation. At these high levels of saturation, the soil no longer has the sponge capacity to hold the water, so it flows over the land—leading to flash floods.



SMAP Soil Moisture (L2\_SM\_P) on October 5, 2015



Surface soil moisture in the Southeastern United States as retrieved from NASA's Soil Moisture Active Passive (SMAP) satellite observatory at around 6 a.m. on Oct. 5, 2015.

GPM rainfall data are used in another NASA-funded flood prediction



tool that follows water on the ground, the Global Flood Monitoring System, developed and run by researchers at the University of Maryland, College Park. The Global Flood Monitoring System takes current satellite rain data and combines them with a model of the land surface—showing slopes, streams and rivers—and soil moisture to project the likelihood of flooding based on when rivers broke their banks in the past. The Federal Emergency Management Agency (FEMA) and the Department of Homeland Security use these maps to help tell where the flooding is now, after the rainfall, and where flooding may continue in the days ahead as floodwaters move downstream.

Even before the storm clouds cleared, efforts to assess the damage from space had begun. NASA's Advanced Rapid Imaging and Analysis (ARIA) project at NASA's Jet Propulsion Laboratory in Pasadena, California, developed plans to analyze before-and-after data from synthetic aperture radars (SAR) flown by the Italian Space Agency and JAXA. These data can see through clouds to detect changes in the urban environment, such as storm damage to buildings and roads.

NASA uses the vantage point of space to increase our understanding of our home planet, improve lives and safeguard our future. NASA develops new ways to observe and study Earth's interconnected natural systems with long-term data records. The agency freely shares this unique knowledge and works with institutions around the world to gain new insights into how our planet is changing.

**More information:** For more on how NASA Earth science benefits people around the world, visit <u>go.nasa.gov/earthbenefits</u>

Provided by NASA



Citation: NASA eyes on Earth aid response to Carolina flooding (2015, October 9) retrieved 2 May 2024 from <a href="https://phys.org/news/2015-10-nasa-eyes-earth-aid-response.html">https://phys.org/news/2015-10-nasa-eyes-earth-aid-response.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.