


Scientists get first glimpse of conductivity that could break size barriers for memory

October 30 2015



An illustration of electrically conductive areas (blue) along the boundaries of tiny magnetic regions, or domains, in chunky grains of a material that normally doesn't conduct electricity. This type of conductivity was postulated decades ago

and now has been directly imaged for the first time by a team of Stanford and SLAC researchers. Credit: Eric Yue Ma/Stanford University

Scientists from Stanford University and the Department of Energy's SLAC National Accelerator Laboratory have made the first direct images showing that electrical currents can flow along the boundaries between tiny magnetic regions of a material that normally doesn't conduct electricity. The results could have major implications for magnetic memory storage.

"This can provide a more straightforward way to use magnetic material as memory," said Eric Yue Ma, a graduate student in the laboratory of Zhi-Xun Shen, the SLAC and Stanford professor who led the research. "Today you need to convert magnetic information into electrical information when reading magnetic memory, usually via multiple layers of different [materials](#). But if you have both types of information within the material itself, you can skip that step."

The team has filed a provisional patent on the concept of using this phenomenon to make new types of sensors and very stable, high-density memory storage that can potentially go beyond the size limitations of current technologies. They report the results of their study today in the journal *Science*.

Unconventional Times Two

The material they studied, which was synthesized by researchers at the University of Tokyo and the RIKEN research institution in Japan, is relatively new – a combination of neodymium, iridium and oxygen. It's magnetic, but not in the conventional sense. Although it consists of microscopic regions, or "domains," where the spins of electrons line up

and generate tiny magnetic fields, in this case the fields all cancel each other out. So the material as a whole has zero magnetism and would not stick to your fridge.

The material doesn't conduct electricity, either, in a conventional way. But theorists have postulated and argued since the 1950s that this type of material, known as a magnetic insulator, might conduct electrical current along the boundaries between its magnetic domains.



Stanford postdoctoral researcher Yongtao Cui, left, and graduate student Eric Yue Ma with the microwave impedance microscopy (MIM) instrument used in the study. Credit: Yongtao Cui/Stanford University

Shen's group used a technique they invented to directly image those boundaries and show they are electrically conductive – as if they were thin ribbons of aluminum foil snaking through an insulating slab of glass. The technique is called microwave impedance microscopy, or MIM. It sends microwaves down through the tip of a probe that is in direct contact with the material, and collects the microwave signals that are reflected back. This allows them to measure the electrical resistance of the material – how well it conducts electricity – in areas as small as 100 nanometers, or billionths of a meter. Shen recently received one of the top grants in quantum materials research from the Gordon and Betty Moore Foundation to develop the next generation of MIM.


"This physics is interesting and had been thought to exist, but it remained elusive for the last 60 years," Shen said. "Now it's been seen directly in this experiment."

A Beautiful Technique

Leon Balents, a professor of physics at the University of California, Santa Barbara who was not involved in the study, said the results were impressive.

"It's a beautiful experimental technique, to be able to make these measurements, and the technique could be applied to a huge range of materials," he said. "It's remarkable how large the magnetic domains are."

That's great news; it means we can isolate a single domain and measure its properties. And now that they have a handle on being able to locate the domains, they can use those techniques to attack further questions.




This image of a magnetic material taken with MIM shows that the bulk of the material is electrically insulating (dark blue regions) and the boundaries between magnetic domains are electrically conductive (white solid lines). Credit: E.Y. Ma et al., Science

"While this is a fundamental physics study," he said, "in the long term people are thinking toward many different types of applications."

Future Devices and Studies

In a provisional U.S. patent application filed by Stanford and RIKEN, the inventors suggest that manipulating the arrangement of the [magnetic domains](#) in these materials could offer a way to store information.

Changing the number of domains within a small area by applying heat or strain, for instance, could make it dramatically more insulating or conductive. These two sharply contrasting states could be directly read as ones and zeroes and used to store and retrieve information. The resulting memory devices should be more stable than today's FLASH memory, "potentially holding data practically permanently," the inventors wrote. More importantly, such devices can potentially be scaled down below the fundamental size limits for FLASH set by semiconductor physics to make the memories of the future.




This microwave impedance microscopy (MIM) instrument was used to image

tiny ribbons of electrical conductivity between magnetic regions, or domains, of a type of material known as a magnetic insulator. Invented in the laboratory of Stanford and SLAC Professor Zhi-Xun Shen, it allowed scientists to directly see these conductive areas for the first time. Credit: Yongtao Cui/Stanford University

Although the material studied here could harbor domain boundary conductivity only at extremely cold temperatures, the team pointed out that other scientists have recently reported signs of similar properties in a material that could work at a much warmer temperature of minus 45 degrees Fahrenheit.

Shen's group is working to improve the resolution of their MIM technique for studies of these and other materials with potential for creating entirely new types of devices.



Scientists were able to make direct images of electrically conductive boundaries between a material's magnetic regions, or domains, using a technique called microwave impedance microscopy (MIM). The device sends microwaves down through the tip of a probe that is in direct contact with the material, and collects the microwave signals that are reflected back. Credit: Eric Yue Ma/Stanford University

More information: E. Y. Ma et al. Mobile metallic domain walls in an all-in-all-out magnetic insulator, *Science* (2015). [DOI: 10.1126/science.aac8289](https://doi.org/10.1126/science.aac8289)

Provided by SLAC National Accelerator Laboratory

Citation: Scientists get first glimpse of conductivity that could break size barriers for memory (2015, October 30) retrieved 20 April 2024 from <https://phys.org/news/2015-10-scientists-glimpse-size-barriers-memory.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.