

Cure for chytrid: Scientists discover method to eliminate killer fungus

November 18 2015



The study combined antifungal treatment of Mallorcan midwife toad (*Alytes muletensis*) tadpoles with environmental disinfection. Credit: Jaime Bosch MNCN-CSIC

Research published today details the first-ever successful elimination of a fatal chytrid fungus in a wild amphibian, marking a major

breakthrough in the fight against the disease responsible for devastating amphibian populations worldwide. The highly-infectious chytrid pathogen has severely affected over 700 amphibian species worldwide; driving population declines, extirpations and species extinctions across five continents.

Results from the seven-year study show the first evidence of eradicating the chytrid pathogen *Batrachochytrium dendrobatidis* (Bd) affecting amphibians in situ. Published today (18 November) in *Biology Letters*, the paper details the outcome of a project led by scientists from the Zoological Society of London (ZSL), the National Museum of Natural History in Spain (MNCN-CSIC), and Imperial College London.

The study combined antifungal treatment of Mallorcan midwife toad (*Alytes muletensis*) tadpoles with environmental disinfection. By using an antifungal to treat tadpoles and a common laboratory decontaminant to sterilise the environment, researchers were able to clear infection from populations of the toad over the research period.

Co-author Dr Trenton Garner, Reader within ZSL's Institute of Zoology, said: "This study represents a major breakthrough in the fight against this highly-destructive pathogen; for the first time we have managed to rid wild individuals of infection for a continued period.

"Amphibian-associated chytrid fungi are a critical conservation issue that requires simple, straightforward and transferrable solutions. Our study is a significant step towards providing these."



The study combined antifungal treatment of Mallorcan midwife toad (*Alytes muletensis*) tadpoles with environmental disinfection. Credit: Jaime Bosch MNCN-CSIC

Dr Jaime Bosch, Senior Researcher at MNCN-CSIC, added: "This is the first time that chytrid has ever been successfully eliminated from a wild population - a real positive which we can take forward into further research to tackle this deadly disease. Chytrid is a global issue which affects [amphibian populations](#) worldwide, and I am proud to be part of a team of leading institutions at the forefront of this pioneering research working towards a solution."

Chytrid fungal infections causing [amphibian](#) mass mortality were first identified at the end of the 20th century by a consortium of scientists, including ZSL researchers.



The study combined antifungal treatment of Mallorcan midwife toad (*Alytes muletensis*) tadpoles with environmental disinfection. Credit: Jaime Bosch MNCN-CSIC

More information: Bosch J, Sanchez-Tome E, Fernandez-Loras A, Oliver JA, Fisher MC, Garner TWJ. (2015). Successful elimination of a

lethal wildlife infectious disease in nature. *Biol. Lett.* 20150874.
[dx.doi.org/10.1098/rsbl.2015.0874](https://doi.org/10.1098/rsbl.2015.0874)

Provided by Zoological Society of London

Citation: Cure for chytrid: Scientists discover method to eliminate killer fungus (2015, November 18) retrieved 18 April 2024 from <https://phys.org/news/2015-11-chytrid-scientists-method-killer-fungus.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.