

The hottest white dwarf in the Galaxy

November 25 2015




Diagram of the Milky Way showing our Sun, the white dwarf, and the gas cloud relative to our neighbor galaxy, the Large Magellanic Cloud (adajcent to it the Small Magellanic Cloud). The white dwarf RX J0439.8-6809 and the gas cloud are between us and the Large Magellanic Cloud. Credit: Philipp Richter/University of Potsdam

Astronomers at the Universities of Tübingen and Potsdam have identified the hottest white dwarf ever discovered in our Galaxy. With a temperature of 250,000 degrees Celsius, this dying star at the outskirts of the Milky Way has already even entered its cooling phase. The researchers also were the first to observe an intergalactic gas cloud moving towards the Milky Way - indicating that galaxies collect fresh



material from deep space, which they can use to make new stars. These findings are published in the latest *Astronomy & Astrophysics*.

Relatively low-mass stars - like our Sun - get extremely hot towards the end of their lives. The Sun's surface temperature has been fairly constant at around 6000 degrees Celsius since its birth 4.6 billion years ago. Immediately before its source of nuclear energy is exhausted in about five billion years, the Sun will reach thirty times that temperature, going to 180,000 degrees before cooling down as a white dwarf. Computer simulations suggest that stars can become even hotter than that. The highest temperature of an observed dying star was measured to be 200,000 degrees.

The researchers' evaluation of ultraviolet spectra taken by the Hubble Space Telescope points to a new record of 250,000 degrees - a temperature which can only be reached by a star some five times more massive than our Sun. The white dwarf, RX J0439.8-6809, has already entered the cooling phase. It appears to have reached its maximum temperature of 400,000 degrees about a thousand years ago. Its chemical composition is not yet understood. Analyses show that carbon and oxygen are present on its surface - the products of the nuclear fusion of helium, a process which normally takes place deep in the core of a star.

RX J0439.8-6809 was first noticed more than 20 years ago as a very bright spot on X-ray images, indicating a source of tremendous heat. Originally it was thought to be a white dwarf carrying out nuclear fusion on its surface using hydrogen drawn from a companion star. Astronomers also assumed it was located in our neighboring galaxy, the Large Magellanic Cloud. But the new Hubble data show that the star is on the outskirts of the Milky Way, and is moving away from us at a speed of 220 kilometers per second.

The star's ultraviolet spectrum held another surprise. It indicates the



presence of gas which does not belong to the star; it is part of a cloud between the Milky Way and RX J0439.8-6809. The Doppler effect enables the researchers to determine that this gas cloud is moving away from us at 150 kilometers per second and moves toward the Milky Way. Astronomers knew of the existence of gases traveling at high speed in the direction of the Large Magellanic Cloud, but were unable to tell for sure if they were in the Milky Way or in the LMC. Finding such gas in the spectrum of RX J0439.8-6809 now offers proof that the gas cloud belongs to the Milky Way. But its chemical composition indicates that it originated from intergalactic space - evidence that galaxies collect fresh material from deep space, which they can use to make <u>new stars</u>.

More information: K. Werner et al. Analysis of HST/COS spectra of the bare C–O stellar core H1504+65 and a high-velocity twin in the Galactic halo, *Astronomy & Astrophysics* (2015). <u>DOI:</u> 10.1051/0004-6361/201527261

P. Richter et al. High-velocity gas toward the LMC resides in the Milky Way halo, *Astronomy & Astrophysics* (2015). DOI: 10.1051/0004-6361/201527451

Provided by Universitaet Tübingen

Citation: The hottest white dwarf in the Galaxy (2015, November 25) retrieved 2 May 2024 from <u>https://phys.org/news/2015-11-hottest-white-dwarf-galaxy.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.