

Northern lakes act as CO₂ chimneys in a warming world

November 10 2015



Credit: Gesa Weyhenmeyer

Many of the world's approximately 117 million lakes act as wet chimneys releasing large amounts of the greenhouse gas carbon dioxide,

CO₂, into the atmosphere. The most recent estimates show that CO₂ emissions from the world's lakes, water courses and reservoirs are equivalent to almost a quarter of all the carbon dioxide produced by burning fossil fuels.

A new study published in *Nature Geoscience* today shows that lakes in the northern hemisphere will probably release much more [carbon dioxide](#) due to global climate changes. The investigation, based on a large amount of data from over 5 000 Swedish lakes, has been led by professor Gesa Weyhenmeyer at the Department of Ecology and Genetics of Uppsala University, in collaboration with colleagues in Denmark, the Netherlands and Brazil.

There are two main carbon dioxide sources in water. It can either be produced by micro-organisms, especially in lakes, or it can be washed into the water from the surrounding area. In order to make statements on future carbon dioxide emissions, it is very important to know where the carbon dioxide in the water comes from. Earlier test results from individual aquatic systems showed that CO₂ is mainly produced by micro-organisms in the [lake](#) itself. In the present study, researchers show for the first time that this applies to less than half of all Swedish lakes.

"In most Swedish lakes, the carbon dioxide originates from the surrounding land from where it is washed into water courses and then into lakes which then release CO₂ into the atmosphere," says Gesa Weyhenmeyer.

The study also shows that the amount of CO₂ produced in the lakes and from the influx of CO₂ from the ground both increase in warmer and nutrient-rich climate zones. For this reason, changes in land use are also very significant. The study reports that a small lake in southern Sweden surrounded by farmland releases twice as much CO₂ as small lake in northern Sweden surrounded by forest.

"There is a considerable risk that [carbon dioxide emissions](#) from lakes and water courses, especially those in northern Scandinavia, Canada and Russia, will increase as the climate warms up. And it is in these areas that most of the lakes are located," says Gesa Weyhenmeyer.

More information: Gesa A. Weyhenmeyer et al. Significant fraction of CO₂ emissions from boreal lakes derived from hydrologic inorganic carbon inputs, *Nature Geoscience* (2015). [DOI: 10.1038/ngeo2582](#)

Provided by Uppsala University

Citation: Northern lakes act as CO₂ chimneys in a warming world (2015, November 10)
retrieved 1 May 2024 from
<https://phys.org/news/2015-11-northern-lakes-co2-chimneys-world.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--