

A row-bot that loves dirty water

November 23 2015



Row-bot with mouth open. Credit: Hemma Philamore, University of Bristol/BRL

Polluted water can at times make swimming in the sea or a pool risky, on the other hand aquatic organisms such as water boatman need the



nutrients in dirty water to feed on. Taking inspiration from water beetles and other swimming insects, academics at the Bristol Robotics Laboratory (BRL) have developed the Row-bot, a robot that thrives in dirty water. The Row-bot mimics the way that the water boatman moves and the way that it feeds on rich organic matter in the dirty water it swims in.

The Row-bot project aims to develop an autonomous swimming robot able to operate indefinitely in remote unstructured locations by scavenging its energy from the environment. When it is hungry the Rowbot opens its soft robotic mouth and rows forward to fill its microbial fuel cell (MFC) stomach with nutrient-rich dirty water. It then closes its mouth and slowly digests the nutrients. The MFC stomach uses the biodegradation of <u>organic matter</u> to generate electricity using bio-inspired mechanisms. When it has recharged its electrical energy stores the Rowbot rows off to a new location, ready for another gulp of dirty water.

Jonathan Rossiter, Professor of Robotics at the University of Bristol and BRL, said: "The work shows a crucial step in the development of autonomous robots capable of long-term self-power. Most robots require re-charging or refuelling, often requiring human involvement."

Hemma Philamore, PhD student, added: "We anticipate that the Rowbot will be used in environmental clean-up operations of contaminants, such as oil spills and harmful algal bloom, and in long term autonomous environmental monitoring of hazardous environments, for example those hit by natural and man-made disasters."

The prototype robot combines two subsystems; a bioinspired energy source and bio-inspired actuation. The first subsystem shows the power generation capability of the robot. A second duplicate system starts the refuelling process and moves the robot with an energy requirement that is less than the energy generated by the first system. This is achieved by



feeding on chemical energy contained in its surrounding fluid to support microbial metabolism inside the MFC.



Row-bot with mouth closed. Credit: Hemma Philamore, University of Bristol/BRL

Mimicking the water boatman's feeding mechanism, which employs a broad beaklike mouth to sweep in both fluid and suspended particulate matter, the Row-bot feeds its MFC stomach by opening and closing the mouth-like orifice at each end of the MFC through the bending of a flexible acetate envelope structure. By using both these systems the <u>robot</u>



can be totally independent in water providing enough <u>energy</u> is available in the fluid.

The Row-bot was developed at the Bristol Robotics Laboratory, a collaboration between the University of Bristol and UWE Bristol, by PhD student, Hemma Philamore and her PhD supervisors; Professor Jonathan Rossiter from the University of Bristol's Department of Engineering Mathematics and Professor Ioannis Ieropoulos from the Bristol BioEnergy Centre at the University of the West of England.

More information: 'Row-bot: An energetically autonomous artificial water boatman' by Hemma Philamore, Jonathan Rossiter, Andrew Stinchcombe, and Ioannis Ieropoulos in 2015 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS) Congress.

Provided by University of Bristol

Citation: A row-bot that loves dirty water (2015, November 23) retrieved 12 May 2024 from https://phys.org/news/2015-11-row-bot-dirty.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.