

# New ceramic firefighting foam becomes stronger when temperature increases

December 15 2015

---



Polymer networks forming on air. Credit: ITMO University


A team of chemists from ITMO University, in collaboration with research company SOPOT, has developed a novel type of firefighting foam based on inorganic silica nanoparticles. The new foam beats existing analogues in fire extinguishing capacity, thermal and mechanical stability and biocompatibility. The results of the study were published in *ACS Advanced Materials & Interfaces*.

Fighting large-scale fires usually involves firefighting foams based on synthetic substances, such as prefluorinated surfactants, that, despite their effectiveness, are extremely toxic for [living organisms](#). Complete biodegradation of such foams can last for more than 200 years, with

residues quickly penetrating deep into soil and surface water. This leads to the accumulation of toxic elements in living organisms, such as plants, animals and men. Many countries have declined the use of such fire extinguishing agents or opted for reducing the production of such substances despite the absence of any decent alternatives.

A group of scientists from the International Laboratory of Advanced Materials and Technologies (SCAMT) at ITMO University in Saint Petersburg and research company SOPOT devised a foam with full biodegradability and whose fire extinguishing [capacity](#) is higher than that of any existing analogue currently in use by fire fighters. After the fire is extinguished, the substance actively absorbs water, softens and falls apart into bioinert silica particles. And even when the foam accidentally enters living organisms, it does not not pose any danger to them.

"Our foam is based on silica nanoparticles, which create a polymer network when exposed to air," says Alexander Vinogradov, deputy head of the SCAMT laboratory. "Such a network embraces and adheres to the burning object and momentarily cools it down. At the same time, the foam itself hardens. The inorganic origin of this polymer network allows it to resist temperatures above 1000 degrees Celsius, which ensures gigantic stability from the aggressive environment in the midst of a raging fire."




Chemical mechanism leading to the formation of hybrid silica foam. Credit: ITMO University

"Most existing foams are made of organic materials and quickly deteriorate when temperature approaches 300 degrees Celsius. In our case, the foam creates a hard frame that not only puts out the fire, but also protects the object from re-ignition. With ordinary foams, re-ignition occurs within seconds after flame is applied to the object again."

The scientists conducted a series of large-scale experiments of the hardening foam, including the imitation of an actual forest fire. The foam was used to create a flame retardant belt that was supposed stop the spread of the fire. The tests demonstrated that the foam easily localizes the forest fire seat and can stay active during the whole fire season.

"The flame retardant belt made of our [foam](#) will prevent the spread of any forest fire, regardless of its strength and level of complexity," says Gennady Kuprin, head of SOPOT. "We can localize the [fire](#) and be sure that the adjacent territories will be safe. This is crucial to organize evacuation works during forest fires, where 9 of 10 people die in our and other countries."



Electronic microscope image of hybrid silica foam. Credit: ITMO University

**More information:** Alexander V. Vinogradov et al. Silica foams for fire prevention and firefighting, *ACS Applied Materials & Interfaces* (2015). [DOI: 10.1021/acsami.5b08653](https://doi.org/10.1021/acsami.5b08653)

Provided by ITMO University

Citation: New ceramic firefighting foam becomes stronger when temperature increases (2015, December 15) retrieved 27 April 2024 from <https://phys.org/news/2015-12-ceramic-firefighting-foam-stronger-temperature.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.