

Conductor turned insulator amid disorder

December 2 2015



Some materials that are inherently disordered display unusual conductivity, sometimes behaving like insulators and sometimes like conductors. Physicists have now analysed the conductivity in a special class of disordered materials. Martin Puschmann from the Technical University Chemnitz, Germany, and colleagues have demonstrated that electrons in the materials studied display a multifractal spatial structure at the transition between conductive and insulating behaviour. These findings have just been published by in *EPJ B*.

The disordered materials under scrutiny in this study consist of networks of atoms that are connected randomly, in contrast to the regular alignment of atoms within a crystal. They are found, for example, in amorphous solids such as glass as well as in biological tissue made of an

assembly of cells. The random organisation of the atoms dramatically affects the [electrical conductivity](#) at the quantum scale.

To study the specific characteristics of [electric conductivity](#), the authors performed large-scale computer simulations. They first created model lattices with randomly positioned atoms and connections. They then computed the function describing how the electrons move on these lattices—known as quantum-mechanical [wave functions](#). If these wave functions spread out, the material is a conductor, if they remain localised, it is an insulator.

Incidentally, over fifty years ago, Philip Anderson showed that impurities and defects can turn [materials](#) from metallic-style conductors into insulators.

When the material is right at the threshold between conductor and insulator, the electron wave functions have a most peculiar [spatial structure](#), as Puschmann and colleagues show. Indeed, they are multi fractals— interwoven sets of different fractals, each with its own dimension. By computing and analysing the spectrum of these dimensions, they obtained a fingerprint of its spatial structure. This, in turn, opened the door to understanding how the disorder turns the material from conductor to insulator.

More information: Martin Puschmann et al. Multifractal analysis of electronic states on random Voronoi-Delaunay lattices, *The European Physical Journal B* (2015). [DOI: 10.1140/epjb/e2015-60698-7](https://doi.org/10.1140/epjb/e2015-60698-7)

Provided by Springer

Citation: Conductor turned insulator amid disorder (2015, December 2) retrieved 14 August

2024 from <https://phys.org/news/2015-12-conductor-insulator-disorder.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.