


Nanoscale ribbons of a new phase of gold have been produced with a different crystalline structure

December 2 2015



The atomic structure of the new phase of gold synthesized by A*STAR researchers. Credit: Z. Fan et al.

A new and stable phase of gold with different physical and optical properties from those of conventional gold has been synthesized by A*STAR researchers, and promises to be useful for a wide range of applications, including plasmonics and catalysis.

Many materials exist in a variety of crystal structures, known as phases or polymorphs. These different phases have the same chemical composition but different physical structures, which give rise to different properties. For example, two well-known polymorphs of carbon, graphite and diamond, arranged differently, have radically different physical properties, despite being the same element.

Gold has been used for many purposes throughout history, including

jewelry, electronics and catalysis. Until now it has always been produced in one phase — a face-centered cubic structure in which atoms are located at the corners and the center of each face of the constituent cubes.

Now, Lin Wu and colleagues at the Institute of the A*STAR Institute of High Performance Computing have modeled the optical and plasmonic properties of nanoscale ribbons of a new phase of gold—the 4H hexagonal phase (see image) — produced and characterized by collaborators at other institutes in Singapore, China and the USA. The team synthesized nanoribbons of the new phase by simply heating the gold (III) chloride hydrate (HAuCl_4) with a mixture of three organic solvents and then centrifuging and washing the product. This gave a high yield of about 60 per cent.

The researchers also produced 4H hexagonal phases of the precious metals silver, platinum and palladium by growing them on top of the gold 4H hexagonal phase.

The cubic phase looks identical when viewed front on, from one side or from above. In contrast, the new 4H hexagonal phase lacks this cubic symmetry and hence varies more with direction—a property known as anisotropy. This lower symmetry gives it more directionally varying [optical properties](#), which may make it useful for plasmonic applications. "Our finding is not only is of fundamental interest, but it also provides a new avenue for unconventional applications of plasmonic devices," says Wu.

The team is keen to explore the potential of their new phase. "In the future, we hope to leverage the unconventional anisotropic properties of the new gold phase and design new devices with excellent performances not achievable with conventional face-centered-cubic [gold](#)," says Wu. The synthesis method also gives rise to the potential for new strategies

for controlling the [crystalline phase](#) of nanomaterials made from the noble metals.

More information: Zhanxi Fan et al. Stabilization of 4H hexagonal phase in gold nanoribbons, *Nature Communications* (2015). [DOI: 10.1038/ncomms8684](#)

Provided by Agency for Science, Technology and Research (A*STAR), Singapore

Citation: Nanoscale ribbons of a new phase of gold have been produced with a different crystalline structure (2015, December 2) retrieved 30 April 2024 from <https://phys.org/news/2015-12-nanoscale-ribbons-phase-gold-crystalline.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--