

## Weird mathematical method holds up to testing

December 17 2015



Solutions of a non-linear differential equation.

Twenty-two years after it was first proposed, mathematicians from Massey University, New Zealand, the Norwegian University of Science and Technology, Norway and La Trobe University, Australia have



demonstrated why an unconventional mathematical method –critical for computer programming – works so well.

Differential equations are powerful mathematical equations that show the relationship between physical quantities (functions) and their rates of change (derivatives). For example, they can be used to describe <u>heat</u> <u>transfer</u> in a pump, or predator-prey relationships over time.

The Kahan method (named after Dr William Kahan) describes a process for breaking up <u>differential equations</u> so they can be solved numerically – a process called discretising. The process is vital for building computer packages, as programmes need to be able to run through a problem step by step.

The method was originally developed to be used only with quadratic equations. But in a paper published today in the prestigious *Proceedings of the Royal Society A* - Mathematical and Physical Sciences, authors demonstrate that it can be used for a range of equations.

Professor of Applied Mathematics Robert McLachlan used an approach known as geometric integration, which preserves some of the geometric features of the original equation to more accurately predict outcomes, particularly long term.

He says the Kahan method has been accepted as being remarkably good for discretising a number of equations, but it was not known why – even by the inventor.

"Kahan noted he had used the <u>method</u> for 24 years without quite understanding why it works so well as it does. You can only understand it by putting it in a wider context. This is a situation we're faced with all the time in mathematics."



**More information:** Elena Celledoni et al. Discretization of polynomial vector fields by polarization, *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Science* (2015). DOI: 10.1098/rspa.2015.0390

Provided by Massey University

Citation: Weird mathematical method holds up to testing (2015, December 17) retrieved 21 June 2024 from <u>https://phys.org/news/2015-12-weird-mathematical-method.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.