

# New efficiency record set with dual-junction solar cell

January 6 2016

---



Scientists at the Energy Department's National Renewable Energy Laboratory (NREL) and at the Swiss Center for Electronics and Microtechnology (CSEM) have jointly set a new world record for converting non-concentrated (1-sun) sunlight into electricity using a dual-junction III-V/Si solar cell.

The newly certified record conversion [efficiency](#) of 29.8 percent was set using a top cell made of gallium indium phosphide developed by NREL, and a bottom cell made of [crystalline silicon](#) developed by CSEM using silicon heterojunction technology. The two [cells](#) were made separately and then stacked by NREL. The record was published in 'Solar cell efficiency tables.'

"It's a record within this mechanically stacked category," said David Young, a senior researcher at NREL. "The performance of the dual-junction device exceeded the theoretical limit of 29.4 percent for crystalline [silicon solar cells](#)."

Young is co-author of a paper, "Realization of GaInP/Si dual-junction solar cells with 29.8 percent one-sun efficiency," which details the steps taken to break the previous record. His co-authors from NREL are Stephanie Essig, Myles Steiner, John Geisz, Scott Ward, Tom Moriarty, Vincenzo LaSalvia, and Pauls Stradins. The paper has been submitted for publication in the IEEE Journal of Photovoltaics.

Essig attracted interest from CSEM when she presented a paper, "Progress Towards a 30 percent Efficient GaInP/Si Tandem Solar Cell," to the 5th International Conference on Silicon Photovoltaics, in Germany in March.

"We believe that the silicon heterojunction technology is today the most efficient silicon technology for application in tandem [solar cells](#)" said Christophe Ballif, head of PV activities at CSEM.

"CSEM partnered with the NREL scientists with the objective to demonstrate that 30 percent efficient tandem cells can be realized using silicon heterojunction bottom cells, thanks to the combination with high performance top cells such as those developed by NREL," said Matthieu Despeisse, the manager of crystalline silicon activities at CSEM.

A new design for the dual-junction solar cell and the contributions from CSEM were key to setting the [record](#). These first collaboration results further indicate that even greater efficiency can be achieved by the combination of NREL and CSEM cells.

The funding for the research came from the Energy Department's Office

of Energy Efficiency and Renewable Energy SunShot Initiative, which aims to make solar [energy](#) fully cost-competitive with traditional energy sources (learn more at [energy.gov/sunshot](http://energy.gov/sunshot)), and from the Swiss Confederation and the Nano-Tera.ch initiative.

**More information:** Martin A. Green et al. Solar cell efficiency tables (version 47), *Progress in Photovoltaics: Research and Applications* (2016). [DOI: 10.1002/pip.2728](https://doi.org/10.1002/pip.2728)

Provided by National Renewable Energy Laboratory

Citation: New efficiency record set with dual-junction solar cell (2016, January 6) retrieved 29 January 2023 from <https://phys.org/news/2016-01-efficiency-dual-junction-solar-cell.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.