

The race to find even more new elements to add to the periodic table

January 5 2016, by David Hinde



Credit: AI-generated image (disclaimer)

In an event likely never to be repeated, four new superheavy elements were last week *simultaneously* added to the periodic table. To add four in one go is quite an achievement but the race to find more is ongoing.

Back in 2012, the International Unions of Pure and Applied Chemistry



(IUPAC) and Pure and Applied Physics (IUPAP) tasked five independent scientists to assess claims made for the discovery of elements 113, 115, 117 and 118. The measurements had been made at Nuclear Physics Accelerator laboratories in Russia (Dubna) and Japan (RIKEN) between 2004 and 2012.

Late last year, on December 30, 2015, IUPAC <u>announced</u> that claims for the discovery of *all four* new elements had been accepted.

This completes the seventh row of the periodic table, and means that all elements between hydrogen (having only one proton in its nucleus) and element 118 (having 118 protons) are now officially discovered.

After the excitement of the discovery, the scientists now have the naming rights. The Japanese team will suggest the name for element 113. The joint Russian/US teams will make suggestions for elements 115, 117 and 118. These names will be assessed by IUPAC, and once approved, will become the new names that scientists and students will have to remember.



1 H 3																	
3	1																2 He
LI	Be											5 B	6 C	7 N	8 0	9 F	10 Ne
11 Na	12 Mg											13 Al	14 Si	15 P	16 S	17 Cl	18 Ar
19 K	20 Ca	21 Sc	22 Ti	23 V	24 Cr	25 Mn	26 Fe	27 Co	28 Ni	29 Cu	30 Zn	31 Ga	32 Ge	33 As	34 Se	35 Br	36 Kr
37 Rb	38 Sr	39 Y	40 Zr	41 Nb	42 Mo	43 Tc	44 Ru	45 Rh	46 Pd	47 Ag	48 Cd	49 In	50 Sn	51 Sb	52 Te	53 	54 Xe
55 Cs	56 Ba		72 Hf	73 Ta	74 W	75 Re	76 Os	77 Ir	78 Pt	79 Au	80 Hg	81 Tl	82 Pb	83 Bi	84 Po	85 At	86 Rn
87 Fr	88 Ra		104 Rf	105 Db	106 Sg	107 Bh	108 Hs	109 Mt	110 Ds	111 Rg	112 Cn	113 Uut	114 Fl	115 Uup	116 Lv	117 Uus	118 Uuo
			-	FO	60		62	62		CE	66	67			70		
Lanthanides		57 La	Ce	Pr	Nd	Pm	62 Sm	Eu	64 Gd	65 Tb	66 Dy	67 Ho	68 Er	Tm	Yb	Lu	
Actinides		89 Ac	90 Th	91 Pa	92 U	93 Np	94 Pu	95 Am	96 Cm	97 Bk	98 Cf	99 Es	100 Fm	101 Md	102 No	103 Lr	
	11 Na 19 K 37 Rb 55 Cs 87 Fr Actin	IDe1112Mg1920KCa3738RbSr5556CsBa8788FrRanthanidesActinides	Li Je 11 12 Mg 19 20 Ca 37 38 Sr 7 38 Sr 87 88 Ra 87 88 Ra 87 88 Ra 87 88 Ra Actinides 57 La	II J2 Mg 20 21 22 K Ca Sc Ti 37 38 39 40 Rb Sr Y Zr 55 56 72 Hf 87 88 IO4 Rf athanides 57 58 La Ce Actinides 89 90 Ac Th	Li De 11 12 Mg 19 20 Ca 21 Sc 22 Ti 23 V 37 38 Sr 39 Y 40 Zr 41 Nb 55 56 Ba 72 Hf 73 Ta 87 Fr 88 Ra 104 Rf 105 Db 57 58 Ce 59 Pr Actinides 89 Ac 90 Th 91 Pa	II I2 Mg 11 19 20 21 22 23 24 K Ca Sc Ti V Cr 37 38 39 40 41 42 Rb Sr Y Zr Nb Mo 55 56 72 73 74 GS Ba IO4 Hf Ta W 87 88 IO4 Rf Db Sg nthanides 57 58 59 60 Actinides 89 90 91 92 Actinides Ac Th Pa U	11 12 Mg 19 20 21 22 23 24 25 K Sc Sc Ti V Cr Mn 37 38 39 40 41 42 43 Rb Sr Y Zr Nb Mo Tc 55 56 T 72 73 74 75 Cs Ba M 104 105 106 107 Fr Ra M 104 105 106 107 Rh Db Sg Bh Sh Sg Sh nthanides 57 58 59 60 61 Actinides 89 90 91 92 93 Actinides 89 Th Pa U Np	II 12 Na Mg 19 20 21 22 23 24 25 26 37 38 39 40 41 42 43 44 Rb Sr Y Zr Nb Mo Tc Ru 55 56 T2 73 74 75 76 Sa a 104 105 106 107 108 Fr Ra a Rf Db Sg Bh Hs attainides 57 58 59 60 61 62 Actinides 89 90 91 92 93 94	II 12 Mg 19 20 21 22 23 24 25 26 27 K Ca Sc Ti V Cr Mn Fe Co 37 38 39 40 41 42 43 44 45 Rb Sr Y Zr Nb Mo Tc Ru Rh 55 56 T 72 73 74 75 76 77 87 88 T 104 105 106 107 108 109 Fr Ra I 104 105 106 107 108 109 Mt Kf Db Sg Bh Hs Kt nthanides 57 58 59 60 61 62 63 Actinides 89 90 91 92 93 94 95	11 12 Mg 19 20 21 22 23 24 25 26 27 28 N Ca Sc Ti V Cr Mn Fe Co Ni 37 38 39 40 41 42 43 44 45 46 Rb Sr Y Zr Nb Mo Tc Ru Rh Pd 55 56 T 72 73 74 75 76 77 78 65 56 T 72 73 74 75 76 17 78 7 88 104 105 106 107 108 109 110 87 88 104 105 106 107 108 109 110 Fr Ra S7 58 59 60 61 62 63 64 Mthanides S7 58 59 60 61 62 63 64	11 12 Na Mg 19 20 21 22 23 24 25 26 27 28 29 No Ca Sc Ti V Cr Mn Fe Co Ni Cu 37 38 39 40 41 42 43 44 45 46 47 Rb Sr Y Zr Nb Mo Tc Ru Rh Pd Ag 55 56 72 73 74 75 76 77 78 79 Cs Ba 104 105 106 107 108 109 110 111 Fr Ra I 104 105 Sg Bh Hs Mt Ds Rg nthanides 57 58 59 60 61 62 63 64 65 Actinides 89 90 91 92 93 94 95 96 97 Ac	I 12 Mg1920 Ca21 Sc22 Ti23 V24 Cr25 Mn26 Fe27 Co28 Ni29 Cu30 Cu37 Rb38 Sr39 Y40 Zr41 Nb42 Mo43 Tc44 Ru45 Rh46 Pd47 Ag Cd37 Rb38 Sr39 Y2r ZrNb NoMo TcRu RuRh PdAg Ag Cd55 S6 Ba Ba72 Hf Ta73 W74 W75 Re OS77 Tr Pt78 Au79 Rg Rg87 Fr Ra Ra104 Rf105 Db106 Sg107 Bh108 Hs109 110 Hs111 H11 H12 Rg87 Fr Cs57 La58 Ce59 Pr Nd Pr60 Sg61 Sc62 G3 G3 Eu Gd64 G5 G566 Cb Dyactinides57 Ac58 Pr Pa U93 Pu Np94 Ps Pu Am Cm97 Ps Ps	Li Jee Jia 11 12 Mg 13 Al 19 20 21 22 23 24 25 26 27 28 29 30 31 19 Ca Sc Ti V Cr Mn Fe Co Ni Cu Zn Ga 37 38 39 40 41 42 43 44 45 46 47 48 49 Rb Sr Y Zr Nb Mo Tc Ru Rh Pd Ag Cd In 55 56 T 72 73 74 75 76 77 78 79 80 81 TI 87 88 I 104 105 106 107 108 109 110 111 112 113 87 Ra I 104 105 106 107 108 109 110 111 112 113 Fr	II 12 13 14 13 14 Na Mg 13 14 13 14 Na Mg 20 21 22 23 24 25 26 27 28 29 30 31 32 Mg Ca Sc Ti V Cr Mn Fe Co Ni Cu Zn Ga Ge 37 38 39 40 41 42 43 44 45 46 47 48 49 50 Rb Sr Y Zr Nb Mo Tc Ru Rh Pd Ag Cd In Sn 55 56 72 73 74 75 76 77 78 79 80 81 82 57 58 59 106 107 108 109 110 111 112 113 114 Fr Ra In 59 60 61 62 63 64 65	L1 12 13 14 15 11 12 21 22 23 24 25 26 27 28 29 30 31 32 33 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 17 38 39 40 41 42 43 44 45 46 47 48 49 50 51 18 Sr Y Zr Nb Mo Tc Ru Rh Pd Ag Cd In Sn Sb 55 56 72 73 74 75 76 77 78 79 80 81 82 83 57 58 59 106 107 108 109 110 111 112 113 114 115 67 78 88 104 105 106 107 108 109 110 1111 112	Li De V N O 11 12 Mg 13 14 15 16 Na Mg 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 K Ca Sc Ti V Cr Mn Fe Co Ni Cu Zn Ga Ge As Se 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 Sr Y Zr Nb Mo Tc Ru Rh Pd Ag Cd In Sn Sb Te S5 56 72 73 74 75 76 77 78 79 80 81 82 83 84 Po S6 Ba 104 105 106 107 108 109 110 111 112 113 114 <td>Li De C N O I 11 12 Mg 13 14 15 16 17 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 17 X Sc Ti V Cr Mn Fe Co Ni Cu Zn Ga Ge As Se Br 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 Te 1 37 38 39 40 41 42 43 Fe 76 77 78 79 80 81 82 83 84 85 55 56 72 <td< td=""></td<></td>	Li De C N O I 11 12 Mg 13 14 15 16 17 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 17 X Sc Ti V Cr Mn Fe Co Ni Cu Zn Ga Ge As Se Br 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 Te 1 37 38 39 40 41 42 43 Fe 76 77 78 79 80 81 82 83 84 85 55 56 72 <td< td=""></td<>

The completed seventh row in the periodic table. Credit: Wikimedia Commons

Until their discovery and naming, all <u>superheavy elements</u> (up to 999!) have been assigned temporary names by the IUPAC. Element 113 is known as ununtrium (Uut), 115 is ununpentium (Uup), 117 is ununseptium (Uus) and 118 ununoctium (Uuo). These names are not actually used by physicists, who instead refer to them as "element 118", for example.

The superheavy elements

Elements heavier than Rutherfordium (element 104) are referred to as superheavy. They are not found in nature, because they undergo radioactive decay to lighter elements.

Those superheavy nuclei that have been created artificially have decay



lifetimes between nanoseconds and minutes. But longer-lived (more neutron-rich) superheavy nuclei are expected to be situated at the centre of the so-called "<u>island of stability</u>", a place where neutron-rich nuclei with extremely long half-lives should exist.

Currently, the isotopes of new elements that have been discovered are on the "shore" of this island, since we cannot yet reach the centre.

How were these new elements created on Earth?

Atoms of superheavy elements are made by nuclear fusion. Imagine touching two droplets of water – they will "snap together" because of surface tension to form a combined larger droplet.

The problem in the fusion of heavy nuclei is the large numbers of protons in both nuclei. This creates an intense repulsive electric field. A heavy-ion accelerator must be used to overcome this repulsion, by colliding the two nuclei and allowing the nuclear surfaces to touch.

This is not sufficient, as the two touching spheroidal nuclei must change their shape to form a compact single droplet of nuclear matter – the superheavy nucleus.

It turns out that this only happens in a few "lucky" collisions, as few as one in a million.

There is yet another hurdle; the superheavy nucleus is very likely to decay almost immediately by fission. Again, as few as one in a million survives to become a superheavy atom, identified by its unique radioactive decay.

The process of superheavy element creation and identification thus requires large-scale accelerator facilities, sophisticated magnetic



separators, efficient detectors and time.

Finding the three atoms of element 113 in Japan took 10 years, and that was *after* the experimental equipment had been developed.

The payback from the discovery of these new elements comes in improving models of the atomic nucleus (with applications in nuclear medicine and in element formation in the universe) and testing our understanding of atomic relativistic effects (of increasing importance in the chemical properties of the heavy elements). It also helps in improving our understanding of complex and irreversible interactions of quantum systems in general.

The Australian connection in the race to make more elements

The race is now on to produce elements 119 and 120. The projectile nucleus Calcium-48 (Ca-48) – successfully used to form the newly accepted elements – has too few protons, and no target nuclei with more protons are currently available. The question is, which heavier projectile nucleus is the best to use.

To investigate this, the leader and team members of the German superheavy element research group, based in Darmstadt and Mainz, recently travelled to the Australian National University.

They made use of unique ANU <u>experimental capabilities</u>, supported by the Australian Government's <u>NCRIS program</u>, to measure fission characteristics for several nuclear reactions forming element 120. The results will guide future experiments in <u>Germany</u> to form the new superheavy elements.



It seems certain that by using similar nuclear fusion reactions, proceeding beyond element 118 will be more difficult than reaching it. But that was the feeling after the discovery of element 112, first observed in 1996. And yet a new approach using Ca-48 projectiles allowed another six <u>elements</u> to be discovered.

Nuclear physicists are already exploring different types of nuclear reaction to produce superheavies, and some promising results have already been achieved. Nevertheless, it would need a huge breakthrough to see four new <u>nuclei</u> added to the <u>periodic table</u> at once, as we have just seen.

This story is published courtesy of <u>The Conversation</u> (*under Creative Commons-Attribution/No derivatives*).

Source: The Conversation

Citation: The race to find even more new elements to add to the periodic table (2016, January 5) retrieved 3 May 2024 from <u>https://phys.org/news/2016-01-elements-periodic-table.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.