

Ocean current in Gulf of Mexico linked to red tide

January 12 2016



Toxic *Karenia brevis* blooms (commonly known as Florida red tides) occur often on the West Florida Shelf. These harmful algal blooms are hazardous to marine life as well as to humans (through neurotoxic shellfish poisoning or aerosolized toxins, which cause respiratory distress). Credit: P.Schmidt, Charlotte Sun

A new study found that a major ocean current in the Gulf of Mexico

plays an important role in sustaining Florida red tide blooms. The University of Miami (UM) Rosenstiel School of Marine and Atmospheric Science research team suggest that the position of the Loop Current can serve as an indicator of whether the algal bloom will be sustained, and provide warning of possible hazardous red tide conditions in coastal areas.

Florida [red tide](#) is a [harmful algal bloom](#) produced by the dinoflagellate *Karenia brevis* that causes respiratory impairment in humans and marine life, and is responsible for shellfish poisoning.

The researchers collected data of *Karenia brevis* concentrations, river outflows, wind [conditions](#), and sea surface heights to study the physical conditions during periods of large *Karenia brevis* blooms and periods of no bloom. This research looked at the continuation of a bloom and not the formation of a red tide bloom.

They found that when the Loop Current is in a northern position, it allow a bloom to continue when other conditions were favorable, but when in a southern position a bloom could not be sustained. The Loop Current, which enters the Gulf of Mexico through the Yucatan Straits, is one of the most important features in the Gulf ocean circulation system.

"Knowing the approximate position of the Loop Current can be an indicator if a bloom will be sustained, and provide a warning for possible hazardous conditions," said UM Rosenstiel School Ph.D. student Grace Maze, lead author of the study.

The study, titled "Historical Analysis of Environmental Conditions During Florida Red Tide" was published in the Dec. 2015 issue of the journal *Harmful Algae*.

Provided by University of Miami

Citation: Ocean current in Gulf of Mexico linked to red tide (2016, January 12) retrieved 15 July 2024 from <https://phys.org/news/2016-01-ocean-current-gulf-mexico-linked.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.