


Ocean warming underestimated, study finds

January 25 2016



This photograph is from the Institute for Geodesy and Geoinformation at the University of Bonn, with a global illustration of the rise in sea levels on his computer monitor. The various colors represent different levels. Credit: © Photo: Johannes Seiler/Uni Bonn

To date, research on the effects of climate change has underestimated the contribution of seawater expansion to sea level rise due to warming of the oceans. A team of researchers at the University of Bonn has now



investigated, using satellite data, that this effect was almost twice as large over the past twelve years than previously assumed. That may result in, for example, significantly increased risks of storm surges. The scientists are presenting their findings in the renowned scientific journal *Proceedings of the National Academy of Sciences (PNAS)*.

In principle, water in the oceans acts like a mercury thermometer: when the temperature goes up, the liquid expands and climbs up the little tube. Since the world's oceans are similarly locked in between the continents, their levels also rise when they heat up due to rising temperatures. "In the deeper parts of the ocean, even a small amount of warming is enough to create a significant rise in <u>sea level</u>," says Dr.-Ing. Roelof Rietbroek from the Institute of Geodesy and Geoinformation at the University of Bonn. An increase of several millimeters a year, he says, is not rare in deep-sea zones.

"To date, we have underestimated how much the heat-related expansion of the water mass in the oceans contributes to a global rise in sea level," says Dr. Jürgen Kusche, Professor of Astronomical, Physical and Mathematical Geodesy at the University of Bonn. Together with researchers at the Deutsches GeoForschungsZentrum (GFZ) in Potsdam and the Alfred Wegener Institute (AWI) in Bremerhaven, the geodesists used gravity field data from the GRACE satellites and sea-level measurements from the altimeters on Jason-1 and Jason-2 to calculate how much sea levels had risen, both due to warming-related expansion of the water and due to the increase of ocean mass from 2002 to 2014.

Effect is twice as large as the melting ice masses in Greenland

Until now, it was assumed that sea levels rose an average of 0.7 to 1.0 millimeters a year due to this "thermometer effect." According to the



new calculations, however, the ocean's expansion contributed with about 1.4 millimeters a year—in other words, almost twice as much as previously assumed. "This height difference corresponds to roughly twice the volume from the melting ice sheets in Greenland," says Dr. Rietbroek.

In addition, the <u>sea-level rise</u> varies strongly due to volume expansion in various ocean regions along with other effects. According to the research team's calculations, the Philippines hold the record with about 15 millimeters a year, while the levels are largely stable on the West Coast of the United States—because there is hardly any ocean warming in that region.

Risk of storm surges could increase significantly

The main areas threatened by rising sea levels are coastal settlements, where regional changes can play a greater role than the global increase. "No country will raise its levees because of a couple of millimeters," says Dr. Rietbroek. "But these small amounts add up to several centimeters within decades. Under such conditions, the likelihood of a destructive storm surge could increase dramatically." From the perspective of the research team, it is thus worth keeping an eye on the expansion-related <u>sea-level rise</u> in the world's oceans in light of climate change. Little measurement data is available, they say, to show how much the oceans are warming up and expanding at depths of thousands of meters in conjunction with rising global air temperatures.

"Up to now, the physical expansion processes in the deep sea have been considered only to a limited extent," says the geodesy researcher from the University of Bonn. However, he says, they play a key role in estimating the climate effects. Therefore it would be highly interesting to observe future heat-related expansion of the world's oceans, using new satellite missions, and to reinterpret measurement data from the past. A



longer observation period will help show what proportion of the rise in sea level is due to human activity, and what proportion is due to natural causes. Dr. Rietbroek: "In addition, the estimated trend in sea level is much less affected by natural fluctuations compared to the observed trend in global temperatures, so it is a more reliable indicator of <u>climate change</u>."

More information: Revisiting the contemporary sea-level budget on global and regional scales, *PNAS*, <u>www.pnas.org/cgi/doi/10.1073/pnas.1519132113</u>

Provided by University of Bonn

Citation: Ocean warming underestimated, study finds (2016, January 25) retrieved 23 April 2024 from <u>https://phys.org/news/2016-01-ocean-underestimated.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.