

## Scientists exploit organisms' needs in order to track 'vitamin mimics' in bacteria

January 21 2016




Illustration of the PNNL team's technology where a vitamin mimic (small blue structure) binds to a protein (larger coiled structure) to gain entry into the bacterium Chloroflexus aurantiacus. Credit: PNNL/Nathan Johnson



Microbes need their vitamins just like people do. Vitamins help keep both organisms healthy and energetic by enabling proteins to do their work. For bacteria, a dearth of vitamins can spell death.

Now scientists at the Department of Energy's Pacific Northwest National Laboratory have made a "vitamin mimic" - a molecule that looks and acts just like the natural vitamin to bacteria, but can be tracked and measured by scientists in live cells. The research offers a new window into the inner workings of living microbes that are crucial to the world's energy future, wielding great influence in the planet's carbon and nutrient cycle and serving as actors in the creation of new fuels.

Vitamins are a powerful currency for researchers seeking to compel microbes to give up their secrets.

"We have a lot to learn about how microbes accumulate and use nutrients that are necessary for their survival and growth. This provides a window for doing so," said chemist Aaron Wright, the corresponding author of the study published in *ACS Chemical Biology*.

"Perhaps we will be able to make a microbial community do what we want, by controlling its access to a specific nutrient," Wright added.

To control the bacteria via vitamins, Wright and his team have to know what other proteins in the cell the vitamins are consorting with, and where and when.

Think of a planner analyzing emergency services for a large city. Knowing that an ambulance enters the city occasionally and transports some people somewhere, for instance, is not nearly as useful as knowing the precise address of the caller, the identity of the injured, and the location of the nearest hospital.



It's the same for scientists trying to understand microbial cells. While a cell is infinitesimally small, the activity within resembles the hustle and bustle of a large city, with many functions within carried out by thousands of entities. Knowing precisely which vitamins aid which proteins, under what circumstances, to keep things running is a must if scientists are to maximize microorganisms for energy production and other processes.

"Microbial communities are organized based on their ability to get the resources they need to survive and grow," said Wright. "We need to understand how the availability of nutrients, like vitamins, helps determine the structure of a microbial community as a step toward controlling that community in ways we would like to be able to do."

## An anchor for pond scum

Wright's team studied the bacterium *Chloroflexus aurantiacus* J-10-fl, which is a common member of microbial mats - gloopy natural structures (think pond scum) where layers containing different groups of microbes band together. In these collections, *C. aurantiacus* often plays the role of anchor, helping to hold together an assortment of microbes. The bacteria, which resemble strands of string under the microscope, are usually found in hot springs, since they enjoy temperatures above 100 degrees Fahrenheit.

Wright's team performed a series of synthetic chemical steps to alter three vitamins that *C. aurantiacus* needs to survive: vitamin B1 (thiamine), vitamin B2 (riboflavin), and <u>vitamin</u> B7 (biotin). While the bacteria recognized the substances as normal vitamins, the researchers can monitor the mimics much more easily than their natural counterparts.

Wright's team used the mimics to relay a treasure trove of information



about how vitamins enter the cell and interact within the cell, by analyzing the precise location of the molecules' activity in living cells. Through a system called affinity-based protein profiling, Wright's group effectively tagged these molecules where they're active, then used techniques such as mass spectrometry to sort and measure proteins of interest.

One of the team's findings suggests multiple vitamins may share the same molecular machinery to gain entry into the cell. The team is still investigating these data. These findings can provide a road map for scientists like Wright who are trying to direct <u>microbes</u> as part of broad efforts to create clean, renewable fuels and reduce the effects of climate change.

**More information:** Lindsey N. Anderson et al. Live Cell Discovery of Microbial Vitamin Transport and Enzyme-Cofactor Interactions, *ACS Chemical Biology* (2015). DOI: 10.1021/acschembio.5b00918

## Provided by Pacific Northwest National Laboratory

Citation: Scientists exploit organisms' needs in order to track 'vitamin mimics' in bacteria (2016, January 21) retrieved 6 May 2024 from <u>https://phys.org/news/2016-01-scientists-exploit-track-vitamin-mimics.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.