

# Biologists find genetic mechanism for 'extremophile' fish survival

February 9 2016

---



Biologists have found genetic mechanisms that let the Atlantic molly live in toxic, acidic water. Credit: Michael Tobler

A Washington State University biologist has found the genetic mechanisms that lets a fish live in toxic, acidic water. The discovery opens the door to new insights into the functioning of other "extremophiles" and how they adapt to their challenging environments.

"These fish are very extreme," said Joanna Kelley, a genome scientist in the School of Biological Sciences at Washington State University.

"Ordinary fish, when you put them in that water, are belly up in about a minute."

Kelley and colleagues from Kansas State University, Stanford University and Mexico's Universidad Juárez Autónoma de Tabasco looked at the shortfin or Atlantic mollies in southern Mexico. Measuring a little more than an inch, the fish lives in tropical freshwater, brackish water, and volcanically influenced springs containing the acid [hydrogen sulfide](#).

Working in three drainages, the researchers compared the genes expressed in three sets of hydrogen sulfide-tolerant fish and freshwater fish.

"In the freshwater system, there are 30-plus species of fish," said Kelley. "In the sulfidic springs there's the molly."

Published in the journal *Molecular Biology and Evolution*, the research was the rare "natural experiment" in which circumstances found in nature were similar to the controlled circumstances that they would have liked in a lab, said Kelley.



Kansas State University biologist Michael Tobler seines for Atlantic mollies, fish who can turn on certain genes to survive life in acidic waters. Credit: Joanna Kelley

"This is one of the reasons that I got excited about this because we have this [natural experiment](#) where we can ask these questions," said Kelley. "It's not just one instance that we're looking at. We have the ability now to compare multiple instances of survival in hydrogen sulfide."

The researchers found that about 170 of the extremophilic fish's 35,000 or so genes were turned on, or upregulated, to detoxify and remove the hydrogen sulfide. Previous studies by other researchers in other systems

have seen the same genes detoxifying hydrogen sulfide.

"It's not that they're keeping the hydrogen sulfide out," said Kelley. "It's not that they are necessarily turning on some other unrelated genes. It's really that the genes that have been previously implicated in hydrogen sulfide detoxification are turned on or turned up. That's really the exciting part."

Michael Tobler, one of Kelley's co-investigators and an assistant professor at Kansas State, said the work can help scientists project how species might adapt to other stressors.

"In these habitats, the natural pollutants give us a glimpse into the future and help us think about what happens in ecosystems that suffer from human-induced changes or pollution," Tobler said. "We can learn how an ecosystem changes when pollutants are added and how organisms cope with that."

The [fish](#) can also help address questions in evolutionary development, aging research, and evolutionary ecology.

"For a variety of reasons, extreme environments are a great place to study evolutionary processes," said Kelley. "We know the [selective pressure](#). In this case, the selective pressure is hydrogen sulfide. So we can study evolutionary processes in extreme environments in a way that we can't when we don't know what the selective pressure is or there are multiple subtle selective pressures."

In humans, low levels of hydrogen sulfide serve as a signaling molecule that helps regulate physiological processes in the brain, heart and other organs. The work by Kelley and her colleagues may contribute to a greater understanding of how that works, with possible biomedical applications.

Provided by Washington State University

Citation: Biologists find genetic mechanism for 'extremophile' fish survival (2016, February 9)  
retrieved 24 April 2024 from

<https://phys.org/news/2016-02-biologists-genetic-mechanism-extremophile-fish.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.