

# Physicists prove new potential for silicon chips

February 26 2016

---

Scientists have opened a door to faster, cheaper telecommunications after proving a new link between silicon chips and 'rare-earth' metals used in internet signalling.

Silicon is the 'gold standard' semiconductor at the heart of the computer industry but lacks the ability to produce, detect and amplify the light signals that are sent down [optical fibre](#). For the amplification of these light signals, we rely on rare-earth elements, which were thought to not interact optically with silicon.

However physicists at the University of Salford and the University of Surrey have made a novel discovery by showing for the first time, that light can be generated by an electron 'jumping' directly between silicon and rare-earths.

"The [electronic data](#) in silicon chips needs to be converted into light to send down optical fibre, then back to electronic data, by separate devices. If the conversion between electronic and light signals can happen on a [silicon chip](#), it would streamline the way data travels around the world," explains Dr Mark Hughes, lecturer in physics at the University of Salford.

## 'Channel Tunnel factor'

"It's the Channel Tunnel factor. Instead of having to change from a train

to the ferry and then back to the train, you would have one single train journey. It would be a major step forward."

Rare-earths usually give off light at very specific colours or 'wavelengths', and silicon doesn't usually give off any light at all. However, the physicists implanted the rare-earth elements cerium, europium and ytterbium into silicon and found that not only did it give off light, but the wavelengths emitted by the rare-earths had been shifted to those that can be used in optical fibre. The shift in wavelength showed that there must have been a jump or 'transition' of an electron from silicon to the other elements.

The researchers also made high performances light emitting diodes (LEDs) and optical detectors using their rare-earth implanted silicon technology. These devices are able to produce and detect telecommunication wavelength light using silicon.

Added Dr Hughes: "In short, we have already made the first step in demonstrating the conversion between electronic and [light signals](#) that could create the future [silicon](#) chip."

**More information:** Manon A. Lourenço et al. Silicon-Modified Rare-Earth Transitions-A New Route to Near- and Mid-IR Photonics, *Advanced Functional Materials* (2016). [DOI: 10.1002/adfm.201504662](https://doi.org/10.1002/adfm.201504662)

Provided by University of Salford

Citation: Physicists prove new potential for silicon chips (2016, February 26) retrieved 6 May 2024 from <https://phys.org/news/2016-02-physicists-potential-silicon-chips.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.