


## Dingo skull resistant to change from cross breeding with dogs, research shows

March 9 2016





A 3-D skull reconstructed from a CT scan superimposed on an image of a dingo in outback Australia The different colored points on the cranium indicate regions



of cranial shape that change together through evolution and breed development, but not during hybridisation. Credit: Karen Black 2012, modified by W.C.H. Parr

Australia's largest predator, the dingo, is resistant to one of the main threats to its survival as a species—changes to skull shape brought about by cross breeding (hybridisation) with dogs, research shows.

A UNSW study published today in *Evolutionary Biology* has found the dingo skull shape remains unchanged by cross breeding, overturning longheld fears that cross breeding may result in the loss of the predator's ecological niche.

"We know that cross breeding has an effect on the dingo gene pool but what we didn't know until now is whether <u>cross breeding</u> changes the dingo skull," said study lead author Dr William Parr, Postdoctoral Research Fellow at UNSW Medicine's Surgical and Orthopaedic Research Laboratory.


"This study has shown us that the dingo skull shape, which in part determines feeding ability, is more dominant than dog skull shapes," Dr Parr said.

Conservationists and ecologists had worried that any change in the animals' skull shape through hybridisation could alter feeding habits, potentially causing knock-on effects throughout the entire ecosystem.

The UNSW research team used medical CT (computed tomography) scanners to make 3D models of the skulls of dingoes, domestic dogs and hybrids. They then used sophisticated 3D shape analyses to determine whether skulls could be correctly assigned to one of the three groups



based on their shape.




A visual comparison of the different skull shapes for a dingo, hybrid and wild caught dog. Can you tell the difference? The pink skull is the dingo, the purple skull is the hybrid and the green skull is the wild dog breed. Credit: W.C.H. Parr

The researchers found hybrid skulls were indistinguishable from those of the dingo, meaning they could not tell the difference with the naked eye or statistically.



Canis dingo was largely isolated from other canids (dogs, wolves, foxes, jackals) after it was introduced to the Australian continent around 3,000 years ago. But this changed when European settlers arrived with domestic dogs.

The researchers think that the dominance of the dingo skull shape is most likely due to recessive, potentially adverse, traits being fixed in dogs, with many breeds having narrower gene pools than the dingo.





The sample average skull with the 3-D points used in the statistical analyses of shape. The points are coloured according to the 10 shape units identified by the study. These units influence skull shape change through evolution and breed development, but not during cross breeding. Credit: W.C.H. Parr

"This is the result of selective breeding to maintain breed standards, or selecting for useful working traits," Dr Parr said.

Study co-author Dr Laura Wilson, Postdoctoral Research Fellow at UNSW Science's School of Biological, Earth and Environmental Sciences, said relatively little is known about how different regions of the skull may alter on a short time scale, such as after a hybridisation event as seen with dogs and dingoes.

"Those patterns have implications for understanding variation in the wild, which is important for predicting how an animal may respond to future ecological challenges," Dr Wilson said.

**More information:** William C. H. Parr et al. Cranial Shape and the Modularity of Hybridization in Dingoes and Dogs; Hybridization Does Not Spell the End for Native Morphology, *Evolutionary Biology* (2016). DOI: 10.1007/s11692-016-9371-x

## Provided by University of New South Wales

Citation: Dingo skull resistant to change from cross breeding with dogs, research shows (2016, March 9) retrieved 5 May 2024 from <a href="https://phys.org/news/2016-03-dingo-skull-resistant-dogs.html">https://phys.org/news/2016-03-dingo-skull-resistant-dogs.html</a>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.