


New material increases the lifetime of solar-powered electrons

March 3 2016



The interfaces between the two oxides (represented in this idealized, atomically abrupt model by the yellow and purple bands) create an electric field. The field separates electrons (silver) excited by sunlight (gold), which could be used to catalyze hydrogen fuel production.

Nobody wants a laptop computer that stops working when a cloud passes by. Storing sunlight as fuel that can be later used to drive fuel cells

requires new materials. Scientists demonstrated such a material. They combined two oxides on the atomic scale. The interface between the oxide materials, one containing strontium and titanium (SrTiO_3) and one containing lanthanum and chromium (LaCrO_3), absorbs visible light, producing electrons and holes that might be useful for catalyzing reactions, such as producing hydrogen fuel. However, if there is nothing to pull those electrons and holes apart, they will quickly annihilate one another without doing anything useful. By carefully synthesizing this material as a series of alternating layers, the international team created a built-in electric field that could help separate the excited electrons and holes and improve the material's performance as a catalyst.

This material opens up new scientific frontiers to solve a persistent energy challenge: storing solar energy for later use. Fuel cells capable of running on hydrogen fuel created by solar energy could allow people to heat their homes and run their computers on solar energy even in the dark of night.

By depositing thin layers of SrTiO_3 and LaCrO_3 on a crystalline substrate, the investigators at the Pacific Northwest National Laboratory, Argonne National Laboratory, SuperSTEM, and the University of Oxford controlled how the ions at the interfaces bond to each other. This allowed them to engineer an electric field in the material that can be used to separate [electrons](#) and holes. Using X-ray spectroscopy techniques, they confirmed that the electric field was present and that the ions in the material shift positions as a result. Ultra-high resolution measurements using an electron microscope helped confirm this ionic shift.

All of these experimental results were backed up by computational modeling of the materials, which predicted behavior in excellent agreement with what was observed.

The [electric field](#) in these materials is present because the researchers were able to precisely control the growth process so that each interface has either a positive or negative charge. Alternating positively and negatively charged interfaces in the material produce nanoscale electric fields that can interact with the electrons and holes that are excited by [solar energy](#). Electrons may then be driven to the surface, where they could interact with water molecules to break their bonds and produce [hydrogen fuel](#).

Researchers are continuing to explore the properties of these superlattices using cutting-edge X-ray measurements at synchrotrons around the world and using other advanced microscopy techniques to look at the chemical makeup of the interfaces.

More information: Ryan B. Comes et al. Interface-Induced Polarization in SrTiO_3 - LaCrO_3 Superlattices , *Advanced Materials Interfaces* (2016). [DOI: 10.1002/admi.201500779](https://doi.org/10.1002/admi.201500779)

Provided by Pacific Northwest National Laboratory

Citation: New material increases the lifetime of solar-powered electrons (2016, March 3) retrieved 2 May 2024 from <https://phys.org/news/2016-03-material-lifetime-solar-powered-electrons.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.