


# Moving microswimmers with tiny swirling flows

March 24 2016

---



A rotating particle creates a flow that pushes swimming bacteria into a spiral-shaped halo around the center. The discovery helps scientists understand the interaction of microswimmers and could help prevent films from forming in microfluidic devices such as labs-on-a-chip. Credit: Igor Aronson and Andrey Sokolov

Scientists at the U.S. Department of Energy's Argonne National Laboratory have discovered a way to use a microscopic swirling flow to rapidly clear a circle of tiny bacteria or swimming robots.

"This discovery offers a new approach for control and manipulation of microscopic swimmers," said Argonne physicist and co-author Igor Aronson, and it could be useful in tiny microfluidic ("lab-on-a-chip") devices that can quickly run chemical or biological analyses or perform tasks.


In the study, published in *Nature Communications*, the researchers placed a [magnetic particle](#) in the center of a liquid film filled with swimming bacteria.

Normally the bacteria swim randomly; but when scientists spun the particle by applying a rotating magnetic field, the swimmers shot away from the center, like a school of fish that suddenly realized there's a shark in their midst.

What's actually happening is that the particle is rotating, creating a small vortex around itself. The bacteria swim parallel to the stream lines and are quickly pushed outward—except for a few that get sucked in right next to the particle.

They're not pushed out by centrifugal force, said Argonne scientist

Andrey Sokolov, who co-authored the paper; dead bacteria, which aren't swimming, are not pushed out with their living companions.



"Because of the curvature of the flow, some swim in and are trapped on the rotating particle, and others are forced to swim out of the curved flow," Sokolov said.

This technique could separate live from dead bacteria, or different species, bacterial strains or mutants from one another. "The shape and swimming rates of different species would mean they separate," Aronson said.

"At certain frequencies of rotation, the [bacteria](#) self-organize into a spiral-shaped halo, creating a microscopic galaxy—similar to our galaxy Milky Way, but trillions of trillions ( $10^{24}$ ) of times smaller," Sokolov said.

In addition to new understanding of the forces governing microswimmers and their environments, the vortex technique could help prevent biofilms from forming and disrupting microfluidic devices, the authors suggested.

They are particularly interested in creating systems in which microswimmers could assemble gears to build a tiny machine and then power it, Aronson said.

**More information:** Andrey Sokolov et al. Rapid expulsion of microswimmers by a vortical flow, *Nature Communications* (2016). [DOI: 10.1038/ncomms11114](https://doi.org/10.1038/ncomms11114)

Provided by Argonne National Laboratory

Citation: Moving microswimmers with tiny swirling flows (2016, March 24) retrieved 19 April 2024 from <https://phys.org/news/2016-03-microswimmers-tiny-swirling.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.