

Mysterious infrared light from space resolved perfectly

March 10 2016



Artist's impression of the Cosmic Infrared Background resolved with ALMA. Credit: NAOJ, Fujimoto et al. Credit: NAOJ

A research team using the Atacama Large Millimeter/submillimeter



Array (ALMA) has detected the faintest millimeter-wave source ever observed. By accumulating millimeter-waves from faint objects like this throughout the Universe, the team finally determined that such objects are 100% responsible for the enigmatic infrared background light filling the Universe. By comparing these to optical and infrared images, the team found that 60% of them are faint galaxies, whereas the rest have no corresponding objects in optical/infrared wavelengths and their nature is still unknown.

The Universe looks dark in the parts between stars and <u>galaxies</u>. However, astronomers have found that there is faint but uniform light, called the "cosmic background emission," coming from all directions. This background emission consists of three main components; Cosmic Optical Background (COB), Cosmic Microwave Background (CMB), and Cosmic Infrared Background (CIB).

The origins of the first two have already been revealed. The COB comes from a huge number of stars, and the CMB comes from hot gas just after the Big Bang. However, the origin of the CIB was still to be solved. Various research projects, including past ALMA observations, have been conducted, but they could only explain half of the CIB.

A research team led by a graduate student, Seiji Fujimoto, and an associate professor, Masami Ouchi, at the University of Tokyo, tackled this mysterious infrared background by examining the ALMA data archive. ALMA is the perfect tool to investigate the source of the CIB thanks to its unprecedented sensitivity and resolution.





ALMA detects emissions from dust in galaxies observed in optical/infrared. Credit: ALMA (ESO/NAOJ/NRAO), NAOJ, Fujimoto et al.

They went through the vast amount of ALMA data taken during about 900 days in total looking for faint objects. They also searched the datasets extensively for lensed sources, where huge gravity has magnified the source making even fainter objects visible.

"The origin of the CIB is a long-standing missing piece in the energy coming from the Universe," said Seiji Fujimoto, now studying at the Institute of Cosmic Ray Research, the University of Tokyo. "We devoted ourselves to analyzing the gigantic ALMA data in order to find the missing piece."

Finally, the team discovered 133 faint objects, including an object five times fainter than any other ever detected. The researchers found that the entire CIB can be explained by summing up the emissions from such objects (note).





Breakdown chart of the faint objects detected with ALMA. 60% of them have corresponding optical/infrared galaxies, whereas the remaining 40% are invisible in other wavelength. Credit: ALMA (ESO/NAOJ/NRAO), NAOJ, Fujimoto et al.

What is the nature of those sources? By comparing the ALMA data with the data taken by the Hubble Space Telescope and the Subaru Telescope, the team found that 60% of them are galaxies which can also be seen in the optical/infrared images. Dust in galaxies absorbs optical and infrared light and re-emits the energy in longer millimeter waves which can be detected with ALMA.

"However, we have no idea what the rest of them are. I speculate that they are galaxies obscured by dust. Considering their darkness, they would be very low-mass galaxies." Masami Ouchi explained passionately. "This means that such small galaxies contain great amounts of dust. That conflicts with our current understanding: small galaxies should contain small amounts of dust. Our results might indicate the existence of many unexpected objects in the distant Universe. We are eager to unmask these new enigmatic sources with future ALMA



observations."

Note: ALMA detected a part of the CIB with 1 mm wavelengths. The CIB in millimeter and submillimeter waves does not become weak even if the source is located far away. Therefore this wavelength is suitable for looking through the Universe to the most distant parts.

Provided by NAOJ

Citation: Mysterious infrared light from space resolved perfectly (2016, March 10) retrieved 4 May 2024 from <u>https://phys.org/news/2016-03-mysterious-infrared-space-perfectly.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.