


Scientists reveal how animals find their way 'in the dark'

March 22 2016



Mapping neurons that control spontaneous swimming behavior across the zebrafish brain. Gray and cyan are anatomical markers, with cyan showing neurons that project to the spinal cord. The green, red, and blue cells result from functional mapping, where green cells control leftward turning, the red cells control rightward turning, and the blue cells are tuned to forward swimming. These populations of neurons guide spontaneous zebrafish behavior when external environmental cues are lacking. Credit: Dunn, Yu, Narayan, Randlett, Naumann, Yang, Schier, Freeman, Engert, and Ahrens

Scientists have revealed the brain activity in animals that helps them find food and other vital resources in unfamiliar environments where there

are no cues, such as lights and sounds, to guide them.

Animals that are placed in such environments display spontaneous, seemingly random behaviors when foraging. These behaviors have been observed in many organisms, although the brain activity behind them has remained elusive due to difficulties in knowing where to look for neural signals in large vertebrate brains.

Now, in a study to be published in the journal *eLife*, researchers have used whole-brain imaging in larval zebrafish to discover how their brain activity translates into spontaneous behaviors. They found that the animals' behavior in plain surroundings is not random at all, but is characterized by alternating left and right turn "states" in the brain, where the animals are more likely to perform repeated left and right turning maneuvers, respectively.

"We noted that a turn made by the zebrafish was likely to follow in the same direction as the preceding turn, creating alternating "chains" of turns biased to one side and generating conspicuous, slaloming swim trajectories," says first author Timothy Dunn, a postdoctoral researcher at Harvard University.

"Freely swimming fish spontaneously chained together turns in the same direction for approximately five to 10 seconds on average, and sometimes for much longer periods. This significantly deviates from a random walk, where movements follow no discernible pattern or trend."

By analyzing the relationship between spontaneous brain activity and spontaneous behavior in the [larval zebrafish](#), the researchers generated whole-[brain activity](#) maps of neuronal structures that correlated with the patterns in the animals' movements.

They discovered a nucleus in the zebrafish hindbrain, which participates

in a simple but potentially vital behavioral algorithm that may optimize foraging when there is little information about the environment available to the animal.

As such behavioral strategies must exist in other [animals](#) that explore environments much larger than themselves, the team expects that the neural systems observed in the zebrafish must also exist in other organisms.

"Overall, our whole-brain analysis, neural activity experiments, and anatomical characterization of zebrafish revealed a circuit contributing to the patterning of a spontaneous, self-generated behavior," explains co-first author Yu Mu, a postdoctoral researcher at Janelia Research Campus.

"As our study makes very specific predictions about this circuit, future experiments will be required to validate its critical components. It will also be interesting to see if different environmental contexts and the motivational state of zebrafish influence their spontaneous swim patterns."

More information: Timothy W Dunn et al. Brain-wide mapping of neural activity controlling zebrafish exploratory locomotion, *eLife* (2016). [DOI: 10.7554/eLife.12741](https://doi.org/10.7554/eLife.12741)

Provided by eLife

Citation: Scientists reveal how animals find their way 'in the dark' (2016, March 22) retrieved 3 May 2024 from <https://phys.org/news/2016-03-scientists-reveal-animals-dark.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.