


Team makes orientation of magnetism adjustable in new materials

March 8 2016



Credit: University of Twente

Nanotechnologists at the UT research institute MESA+ are now able to create materials in which they can influence and precisely control the orientation of the magnetism at will. An interlayer just 0.4 nanometres thick is the key to this success. The materials present a range of interesting possibilities, such as a new way of creating computer memory as well as spintronics applications – a new form of electronics that works

on the basis of magnetism instead of electricity. The research was published today in the leading scientific journal *Nature Materials*.

Nanotechnologists at the University of Twente are specialized in creating new [materials](#). Thanks to the top-level facilities at the MESA+ NanoLab they are able to combine materials as they wish, with the ability to control the material composition down to atom level. In particular, they specialize in creating materials composed of extremely thin layers, sometimes just one atom thick.

Computer memory

In research published today in the scientific journal *Nature Materials*, they show their ability to create [new materials](#) within which they can precisely and locally control the [orientation](#) of the magnetism. This opens the way to new possibilities of creating computer memory. Moreover, this method of creating materials is interesting for spintronics, a new form of electronics that does not utilize the movement of charges but instead the magnetic properties of a material. This not only makes electronics very fast and efficient, but also allows them to be produced in extremely small dimensions.

Interlayer

In the course of this research the scientists stacked up various thin layers of Perovskite materials. By placing an extremely thin interlayer of just 0.4 nanometres between the layers (a nanometre is a million times smaller than a millimetre), it becomes possible to influence the orientation of the magnetism in the individual Perovskite layers as desired, whereby the orientation of the magnetism in the bottom layer, for instance, is perpendicular to that of the layer above. By varying the location where the interlayer is applied, it becomes possible to select the

local orientation of the magnetism anywhere in the material. This is an essential property for new forms of [computer memory](#) and for spintronics applications.

This effect was already known for much thicker layers, but never before had researchers demonstrated that the orientation of the [magnetism](#) can be controlled so precisely with extremely thin layers, too.

More information: Z. Liao et al. Controlled lateral anisotropy in correlated manganite heterostructures by interface-engineered oxygen octahedral coupling, *Nature Materials* (2016). [DOI: 10.1038/nmat4579](https://doi.org/10.1038/nmat4579)

Provided by University of Twente

Citation: Team makes orientation of magnetism adjustable in new materials (2016, March 8) retrieved 19 April 2024 from <https://phys.org/news/2016-03-team-magnetism-adjustable-materials.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.