


Bacteria use their own pumps to collect magnesium

April 7 2016



Escherichia coli. Credit: Rocky Mountain Laboratories, NIAID, NIH

Researchers at UiO and NCMM have discovered that the system used by bacteria to transport magnesium is so sensitive that it can detect a pinch of magnesium salt in a swimming pool.



Magnesium is a mineral found in all living organisms. Your body contains 20–30 grams of this element, most of which is in the skeleton. We humans are supplied with magnesium through our daily diet or as a supplement.

Magnesium deficiency is not especially common, but occurs in patients with intestinal diseases such as Crohn's disease. These patients often have to live with cramps and various rheumatic illnesses. Other symptoms typical of magnesium deficiency are muscular spasms, cramp, anxiety or abnormal heart rhythms.

Sensitive transport system

Researchers at NCMM, the Centre for Molecular Medicine Norway at UiO and Oslo University Hospital have shown exactly how sensitive the bacteria's transport system is.

Researcher Jens Preben Morth says, "We have identified a nano-sized magnesium pump."

The researchers manipulated an E. coli bacterium so that it overproduced using its own magnesium pump.

"The pump was isolated in the bacterium's cell membrane."

There are different methods of achieving this type of isolation. We could either divide up the proteins according to size, or we could examine the positive or negative electric charges of the proteins on the surface of the pump.

"As soon as the pump was isolated, we were able to work with the pure protein without disruption from other proteins," Morth explains.



With the aid of enzyme kinetics, a special method of analysing chemical reactions, the researchers were able to obtain a calculation of the sensitivity to magnesium.

Discovery of unique building blocks

In addition to the pump itself, the researchers also discovered unique lipid components that assist the bacteria in this process. Lipid components are building blocks for the cell membrane just as amino acids are for proteins. The cell membrane is the cell's husk.

Deadly deficiency for bacteria

Magnesium deficiency can be deadly for bacteria. This has led to our own cells developing a mechanism that removes magnesium and other metals from bacteria when they start to attack us.

"In order to counteract this mechanism, the bacteria have developed a unique system to detect and attract magnesium. The bacteria manage to do this even if the amounts of magnesium in their environment are only minimal," says Morth.

Magnesium is bound to several proteins within a cell. It is used by many of the enzymes that are involved when sugar is broken down into energy. This process is known as glycolysis.

"Magnesium also stabilises genetic material in both humans and bacteria," Morth elaborates.

May contribute to development of drugs

In answer to the question of why the finding is significant, Morth says,



"This discovery will help us to understand some of the molecular systems that apply when magnesium is identified and absorbed into cells. Not only in the case of bacteria, but also in more advanced organisms.

"In future we may be able to use this to create drugs that counteract this process and thus prevent antibiotic resistance, for example. In addition, it will help us to understand how bacteria protect themselves against the hostile environments in the human body. Examples of this might be the acid environment in the stomach, or so-called macrophages, which are cells that digest <u>bacteria</u> and cellular debris. We envisage that further studies can be used to develop biological sensors for <u>magnesium</u>," Morth concludes.

More information: Saranya Subramani et al. The magnesium transporter A is activated by cardiolipin and is highly sensitive to free magnesium in vitro, *eLife* (2016). DOI: 10.7554/eLife.11407

Provided by University of Oslo

Citation: Bacteria use their own pumps to collect magnesium (2016, April 7) retrieved 10 April 2024 from https://phys.org/news/2016-04-bacteria-magnesium.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.