


Coral 'toolkit' allows floating larvae to transform into reef skeletons

April 27 2016



A juvenile lace coral (*Pocillopora damicornis*), with coral tissue and algal

symbionts (brown dots within the tissue) covering the newly grown skeleton.
Credit: Hollie Putnam, UH SOEST

In a study published today, researchers from the University of Hawai'i at Mānoa (UHM), Rutgers University, and the University of Haifa identified key and novel components of the molecular "toolkit" that allow corals to build their skeletons (called biomineralization) and described when—in the transformation from floating larvae to coral skeleton—these components are used.

Corals are the sum of a symbiotic relationship between cnidarian animals and millions of single-celled algae that live inside their tissues. These symbiotic algae photosynthesize and provide the energy corals need to build their skeletons. In turn, the skeletons form the structure and framework of [coral reefs](#) that provide habitat to fishes and other animals. Coral reefs are so large they can be seen from space, and generate goods and services valued on the order of billions of dollars annually.

The reefs of Kāneohe Bay, Hawaii around the Hawaii Institute of Marine Biology (HIMB) at the UHM School of Ocean and Earth Science and Technology (SOEST) provided the ideal natural coral study system.

"Our research on reproduction in the lace coral, *Pocillopora damicornis*, provided the perfect opportunity to look at a natural on-off switch in coral biomineralization," said co-lead author Hollie Putnam, HIMB assistant researcher.

Corals release their offspring as swimming larvae with no skeleton. The larvae change shape, settle onto the reef, and start to build their skeletons. Putnam and Ruth Gates, senior researcher and director of

HIMB, collaborated with scientists from Rutgers University, and the University of Haifa to examine gene expression and the production of proteins at these different life stages.



A single swimming *Pocillopora damicornis* planula (larva) comprised of coral tissue containing algal symbionts (brown dots within the tissue). Credit: Hollie Putnam, UH SOEST

"Together, we described components that were 'off' or 'on' before and after the first skeletal structures were built," said Putnam. "This approach revealed the quantity and location of important components of the biomineralization machinery, knowledge that allows them to be developed as biomarkers for studies of [coral](#) growth in the future."

Coral reefs are undergoing mass mortality due to high seawater temperatures and ocean acidification is diminishing their capacity for skeletal growth. These global stressors are superimposed on the local

threats of coastal development, excess nutrients, and overfishing; and all combine to threaten the persistence of corals as a functional ecosystem.

"The better we understand how corals grow, the better we understand the way they respond to ocean acidification, rising sea surface temperatures and pollution and can therefore forecast and manage reefs communities in the future," said Ruth Gates.

The team is currently working to further describe these novel components of the biomineralization machine in corals and how they are regulated under increased environmental stress.



Two newly settled *Pocillopora damicornis* juveniles and a swimming planula on crustose coralline algae. Credit: Hollie Putnam, UH SOEST

More information: Tali Mass et al, Temporal and spatial expression patterns of biomineralization proteins during early development in the stony coral, *Proceedings of the Royal Society B: Biological Sciences* (2016). [DOI: 10.1098/rspb.2016.0322](https://doi.org/10.1098/rspb.2016.0322)

Provided by University of Hawaii at Manoa

Citation: Coral 'toolkit' allows floating larvae to transform into reef skeletons (2016, April 27) retrieved 25 April 2024 from <https://phys.org/news/2016-04-coral-toolkit-larvae-reef-skeletons.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.