


## Feedback technique used on diamond 'qubits' could make quantum computing more practical

April 6 2016, by Larry Hardesty



Researchers have designed a feedback-control system for maintaining quantum superposition that requires no measurement. Masashi Hirose (pictured) adjusts optical components on the setup used to perform the experiment. Credit: Greg Hren



Quantum computers are largely hypothetical devices that could perform some calculations much more rapidly than conventional computers can. They exploit a property called superposition, which describes a quantum particle's counterintuitive ability to, in some sense, inhabit more than one physical state at the same time.

But superposition is fragile, and finding ways to preserve it is one of the chief obstacles to developing large, general-purpose quantum computers. In today's *Nature*, MIT researchers describe a new approach to preserving superposition in a class of quantum devices built from synthetic diamonds. The work could ultimately prove an important step toward reliable quantum computers.

In most engineering fields, the best way to maintain the stability of a physical system is feedback control. You make a measurement—the current trajectory of an airplane, or the temperature of an engine—and on that basis produce a control signal that nudges the system back toward its desired state.

The problem with using this technique to stabilize a quantum system is that measurement destroys superposition. So <u>quantum-computing</u> researchers have traditionally had to do without feedback.

"Typically, what people do is to use what's called open-loop control," says Paola Cappellaro, the Esther and Harold Edgerton Associate Professor of Nuclear Science and Engineering at MIT and senior author on the new paper. "You decide a priori how to control your system and then apply your controller and hope for the best—that you knew enough about your system that the control you applied will do what you thought it should. Feedback should be more robust, because it lets you adapt to what's going wrong."

In the Nature paper, Cappellaro and her former PhD student Masashi



Hirose, who graduated last year and is now with McKinsey and Company in Tokyo, describe a feedback-control system for maintaining <u>quantum superposition</u> that requires no measurement. "Instead of having a classical controller to implement the feedback, we now use a quantum controller," Cappellaro explains. "Because the controller is quantum, I don't need to do a measurement to know what's going on."

## Vacant expression

Cappellaro and Hirose's system uses a so-called nitrogen-vacancy center in diamond. A pure diamond consists of carbon atoms arranged in a regular latticework structure. If a carbon nucleus is missing from the lattice where one would be expected, that's a vacancy. If a nitrogen atom takes the place of a carbon atom in the lattice, and it happens to be adjacent to a vacancy, that's a nitrogen-vacancy (NV) center.

Associated with every NV center is a group of electrons from the adjacent atoms, which, like all electrons, have a property called spin that describes their magnetic orientation. When subjected to a strong magnetic field—from, say, a permanent magnet positioned above the diamond—an NV center's electronic spin can be up, down, or a quantum superposition of the two. It can thus represent a quantum bit, or "qubit," which differs from an ordinary computer bit in its ability to take on not just the values 1 or 0, but both at the same time.

NV centers have several advantages over other candidate qubits. They're an intrinsic feature of a physical structure, so they dispense with the complex hardware for trapping ions or atoms that other approaches require. And NV centers are natural light emitters, which makes it relatively easy to read information from them. Indeed, the light particles emitted by an NV center may themselves be in superposition, so they provide a way to move quantum information around.



## Local control

Like electrons, atomic nuclei have spin, and Cappellaro and Hirose use the spin state of the nitrogen nucleus to control the NV center's electronic spin. First, a dose of microwaves puts the electronic spin into superposition. Then a burst of radio-frequency radiation puts the nitrogen nucleus into a specified spin state.

A second, lower-power dose of microwaves "entangles" the spins of the nitrogen nucleus and the NV center, so that they become dependent on each other. At this point, the NV qubit could, together with other qubits, be enlisted to perform a computation. But in their experiments, Cappellaro and Hirose were evaluating a single qubit, so they could test only the most rudimentary computational operation: the not gate, which flips a bit's value.

Because the spins of the nitrogen nucleus and the NV center are entangled, if anything goes wrong during the computation, it will be reflected in the spin of the nitrogen nucleus.

After the computation is performed, a third dose of microwaves—whose polarization is rotated relative to that of the second—disentangles the nucleus and the NV center. The researchers then subject the system to a final sequence of microwave exposures. Those exposures are calibrated, however, so that their effect on the NV center depends on the state of the <u>nitrogen nucleus</u>. If an error crept in during the computation, the microwaves will correct it; if not, they'll leave the NV center's state unaltered.

In experiments, the researchers found that, with their feedback-control system, an NV-center <u>quantum</u> bit would stay in <u>superposition</u> about 1,000 times as long as it would without it.



**More information:** Coherent feedback control of a single qubit in diamond, *Nature*, <u>DOI: 10.1038/nature17404</u>

## Provided by Massachusetts Institute of Technology

Citation: Feedback technique used on diamond 'qubits' could make quantum computing more practical (2016, April 6) retrieved 1 May 2024 from <u>https://phys.org/news/2016-04-feedback-technique-diamond-qubits-quantum.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.