

Flipping a chemical switch helps perovskite solar cells beat the heat

April 25 2016





Thin films of crystalline materials called perovskites provide a promising new way of making inexpensive and efficient solar cells. Now, an international team of researchers has shown a way of flipping a chemical switch that converts one type of perovskite into another -- a type that has better thermal stability and is a better light absorber. Credit: Padture Lab / Brown University

Thin films of crystalline materials called perovskites provide a promising new way of making inexpensive and efficient solar cells. Now, an international team of researchers has shown a way of flipping a chemical switch that converts one type of perovskite into another—a type that has better thermal stability and is a better light absorber.

The study, by researchers from Brown University, the National Renewable Energy Laboratory (NREL) and the Chinese Academy of Sciences' Qingdao Institute of Bioenergy and Bioprocess Technology published in the *Journal of the American Chemical Society*, could be one more step toward bringing <u>perovskite solar cells</u> to the mass market.

"We've demonstrated a new procedure for making solar cells that can be more stable at moderate temperatures than the perovskite solar cells that most people are making currently," said Nitin Padture, professor in Brown's School of Engineering, director of Brown's Institute for Molecular and Nanoscale Innovation, and the senior co-author of the new paper. "The technique is simple and has the potential to be scaled up, which overcomes a real bottleneck in perovskite research at the moment."

Perovskites have emerged in recent years as a hot topic in the solar energy world. The efficiency with which they convert sunlight into



electricity rivals that of traditional silicon solar cells, but perovskites are potentially much cheaper to produce. These new solar cells can also be made partially transparent for use in windows and skylights that can produce electricity, or to boost the efficiency of <u>silicon solar cells</u> by using the two in tandem.

Despite the promise, perovskite technology has several hurdles to clear—one of which deals with <u>thermal stability</u>. Most of the perovskite solar cells produced today are made with of a type of perovskite called methylammonium lead triiodide (MAPbI3). The problem is that MAPbI3 tends to degrade at moderate temperatures.

"Solar cells need to operate at temperatures up to 85 degrees Celsius," said Yuanyuan Zhou, a graduate student at Brown who led the new research. "MAPbI3 degrades quite easily at those temperatures."

That's not ideal for solar panels that must last for many years. As a result, there's a growing interest in solar cells that use a type of perovskite called formamidinium lead triiodide (FAPbI3) instead. Research suggests that solar cells based on FAPbI3 can be more efficient and more thermally stable than MAPbI3. However, thin films of FAPbI3 perovskites are harder to make than MAPbI3 even at laboratory scale, Padture says, let alone making them large enough for commercial applications.

Part of the problem is that formamidinium has a different molecular shape than methylammonium. So as FAPbI3 crystals grow, they often lose the perovskite structure that is critical to absorbing light efficiently.

This latest research shows a simple way around that problem. The team started by making high-quality MAPbI3 thin films using techniques they had developed previously. They then exposed those MAPbI3 thin films to formamidine gas at 150 degrees Celsius. The material instantly



converted from MAPbI3 to FAPbI3 while preserving the all-important microstructure and morphology of the original thin film.

"It's like flipping a switch," Padture said. "The gas pulls out the methylammonium from the crystal structure and stuffs in the formamidinium, and it does so without changing the morphology. We're taking advantage of a lot of experience in making excellent quality MAPbI3 thin films and simply converting them to FAPbI3 thin films while maintaining that excellent quality."

This latest research builds on the work this international team of researchers has been doing over the past year using <u>gas-based techniques</u> to make perovskites. The gas-based methods have the potential of improving the quality of the solar cells when scaled up to commercial proportions. The ability to switch from MAPbI3 to FAPbI3 marks another potentially useful step toward commercialization, the researchers say.

"The simplicity and the potential scalability of this method was inspired by our previous work on gas-based processing of MAPbI3 <u>thin films</u>, and now we can make high-efficiency FAPbI3-based perovskite solar cells that can be thermally more stable," Zhou said. "That's important for bringing perovskite solar cells to the market."

Laboratory scale perovskite solar cells made using this new method showed efficiency of around 18 percent—not far off the 20 to 25 percent achieved by silicon <u>solar cells</u>.

"We plan to continue to work with the method in order to further improve the efficiency of the cells," said Kai Zhu, senior scientist at NREL and co-author of the new paper. "But this initial work demonstrates a promising new fabrication route."



More information: Yuanyuan Zhou et al, Exceptional Morphology-Preserving Evolution of Formamidinium Lead Triiodide Perovskite Thin Films via Organic-Cation Displacement, *Journal of the American Chemical Society* (2016). DOI: 10.1021/jacs.6b02787

Provided by Brown University

Citation: Flipping a chemical switch helps perovskite solar cells beat the heat (2016, April 25) retrieved 3 May 2024 from <u>https://phys.org/news/2016-04-flipping-chemical-perovskite-solar-cells.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.