

Reducing waste while improving snack nutrition

April 26 2016



Pomace comes from a variety of fruits and vegetables used in making juices. The pomace is first dried, shown piled at left. Then the researchers grind it into fine powder, in the jars, for their experiments. Credit: Scott Weybright, WSU

Your favorite puffed snack food may soon contain more fiber and



nutrition, thanks to research from Washington State University food scientists.

Girish Ganjyal and some of his graduate students have discovered how to add carrot pomace—the pulpy leftover from juicing the veggies—to cornstarch, increasing the "puffiness" of <u>snack foods</u>.

"That's great—we didn't know what we would find," said Ganjyal, a WSU/University of Idaho School of Food Science assistant professor and WSU Extension <u>food</u> processing specialist. "We hope to continue researching and see just how the starch and fiber are interacting at the molecular level. Hopefully, we can include even more pomace in the recipe."

The results are published as "Carrot pomace enhances the expansion and nutritional quality of corn starch extrudates," in the May edition of the journal *LWT-Food Science and Technology*.

The research team experimented with concentrations of 5, 10 and 15 percent <u>carrot</u> pomace.

"At five percent, it was great," Ganjyal said. "But at the higher concentrations, the end product got more dense and didn't puff nearly as much."





WSU professor Girish Ganjyal holds the snack puffs he and his students made with added carrot pomace. Credit: Scott Weybright, WSU

Pomace doesn't affect the taste of snack foods, he said. In addition to adding fiber and some important nutrients to foods, the research creates a use for a wasted byproduct. Pomace is a leftover after industrial juicing of fruits and vegetables including apples, cherries, blueberries, grapes and carrots.

Ganjyal said he talked with juice industry professionals and farmers who want to do something with the residue. With juice production increasing, there is more pomace byproduct.

"If we can find a real use for this, and add something positive to snack



foods without affecting the taste or texture, it's a real win-win," he said.

More information: Nattapon Kaisangsri et al, Carrot pomace enhances the expansion and nutritional quality of corn starch extrudates, *LWT - Food Science and Technology* (2016). DOI: 10.1016/j.lwt.2015.12.016

Provided by Washington State University

Citation: Reducing waste while improving snack nutrition (2016, April 26) retrieved 3 May 2024 from https://phys.org/news/2016-04-snack-nutrition.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.