

# Zip software can detect the quantum-classical boundary

April 20 2016

---

Quantum physics has a reputation for being mysterious and mathematically challenging. That makes it all the more surprising that a new technique to detect quantum behaviour relies on a familiar tool: a "zip" program you might have installed on your computer.

"We found a new way to see a difference between the quantum universe and a classical one, using nothing more complex than a compression program," says Dagomir Kaszlikowski, a Principal Investigator at the Centre for Quantum Technologies (CQT) at the National University of Singapore.

Kaszlikowski worked with other researchers from CQT and collaborators at the Jagiellonian University and Adam Mickiewicz University in Poland to show that [compression software](#), applied to experimental data, can reveal when a system crosses the boundary of our classical picture of the Universe into the quantum realm. The work is published in the March issue of *New Journal of Physics*.

In particular, the technique detects evidence of quantum entanglement between two particles. Entangled particles coordinate their behaviour in ways that cannot be explained by signals sent between them or properties decided in advance. This phenomenon has shown up in many experiments already, but the new approach does without an assumption that is usually made in the measurements.

"It may sound trivial to weaken an assumption, but this one is at the core

of how we think about quantum physics," says co-author Christian Kurtsiefer at CQT. The relaxed assumption is that particles measured in an experiment are independent and identically distributed - or i.i.d.

Experiments are typically performed on pairs of [entangled particles](#), such as pairs of photons. Measure one of the [light particles](#) and you get results that seems random. The photon may have a 50:50 chance of having a polarization that points up or down, for example. The entanglement shows up when you measure the other photon of the pair: you'll get a matching result.

A mathematical relation known as Bell's theorem shows that [quantum physics](#) allows matching results with greater probability than is possible with classical physics. This is what previous experiments have tested. But the theorem is derived for just one pair of particles, whereas scientists must work out the probabilities statistically, by measuring many pairs. The situations are equivalent only as long as each particle-pair is identical and independent of every other one - the i.i.d. assumption.

With the new technique, the measurements are carried out the same way but the results are analyzed differently. Instead of converting the results into probabilities, the raw data (in the forms of lists of 1s and 0s) is used directly as input into compression software.

Compression algorithms work by identifying patterns in the data and encoding them in a more efficient way. When applied to data from the experiment, they effectively detect the correlations resulting from [quantum entanglement](#).

In the theoretical part of the work, Kaszlikowski and his collaborators worked out a relation akin to Bell's theorem that's based on the 'normalized compression difference' between subsets of the data. If the

universe is classical, this quantity must stay less than zero. Quantum physics, they predicted, would allow it to reach 0.24. The theorists teamed up with Kurtsiefer's experimental group to test the idea.

First the team collected data from measurements on thousands of entangled photons. Then they used an open-source compression algorithm known as the Lempel-Ziv-Markov chain algorithm (used in the popular 7-zip archiver) to calculate the normalized compression differences. They find a value exceeding zero -  $0.0494 \pm 0.0076$  - proving their system had crossed the classical-quantum boundary. The value is less than the maximum predicted because the compression does not reach the theoretical limit and the quantum states cannot be generated and detected perfectly.

It's not yet clear whether the [new technique](#) will find practical applications, but the researchers see their 'algorithmic' approach to the problem fitting into a bigger picture of how to think about physics. They derived their relation by considering correlations between particles produced by an algorithm fed to two computing machines.

"There is a trend to look at physical systems and processes as programs run on a computer made of the constituents of our universe," write the authors. This work presents an "explicit, experimentally testable example".

**More information:** Hou Shun Poh et al, Probing the quantum–classical boundary with compression software, *New Journal of Physics* (2016). [DOI: 10.1088/1367-2630/18/3/035011](https://doi.org/10.1088/1367-2630/18/3/035011)

Provided by National University of Singapore

Citation: Zip software can detect the quantum-classical boundary (2016, April 20) retrieved 23 April 2024 from <https://phys.org/news/2016-04-software-quantum-classical-boundary.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.