

# Dry soil to absorb some snowmelt heading to Colorado River

April 22 2016, by By Dan Elliott

---



In this April 14, 2013 file photo, hikers make their way along the banks of the Colorado River near Willow Beach, Ariz. Storms brought deep snow during the 2016 season to the mountains that feed the Colorado River, but the dried-out landscape will soak up some before it can reach the river and flow into Lake Powell, the nation's second-largest reservoir. The snowpack in the vast Upper Colorado River Basin peaked at about 94 percent of average this month. (AP Photo/Julie Jacobson, file)

Storms brought deep snow to the mountains that feed the vital Colorado River this winter and spring, but the dried-out landscape will soak up some of the runoff before it can reach the river and the 40 million people depending on it for water.

The snowpack in the vast Upper Colorado River Basin—encompassing almost 110,000 square miles of mountains, valleys and tributaries from Wyoming to New Mexico—hit its seasonal peak this month, federal data show. It reached about 94 percent of the long-term average.

But the melted snow that makes it into the river and eventually to Lake Powell in Utah, the second-largest reservoir in the nation, is expected to reach only 74 percent of average, forecasters say.

The Colorado River serves people and about 6,300 square miles of farmland in Arizona, California, Colorado, Nevada, New Mexico, Utah and Wyoming. Mexico also is entitled to a share.

Water users and managers watch the Upper Basin closely, especially in April, when the snow usually reaches its deepest levels and begins to melt into the Colorado River or its tributaries.

A dry fall and early winter reduced soil moisture in the basin, said Malcolm Wilson of the U.S. Bureau of Reclamation, which manages Lake Powell and hundreds of other reservoirs.

"When you have dry soil, the first place the [water](#) goes is to recharge that soil," he said.

Lake Powell, behind the 580-foot-high Glen Canyon Dam, helps the Bureau of Reclamation regulate the river and distribute its water. The reservoir serves as a kind of savings account for the Upper Basin states—Colorado, New Mexico, Utah and Wyoming—storing up water

during wet years to ensure they have enough to send to the Lower Basin states, even in dry years.

Powell is about 45 percent full amid a long-term drought, but that should provide a big enough cushion that Lower Basin states—Arizona, California and Nevada—can get their share for the foreseeable future without requiring the Upper Basin to cut back, Wilson said.

"We're in a pretty reasonable spot," he said.

The lake was expected to rise 16 feet from this spring's snowmelt, Wilson said. Comparing years can be difficult because the canyon that forms the lake is V-shaped, so the higher the water level, the more water it takes to raise it another foot.

Although the snowpack is near average across the Upper Colorado River Basin, it varies widely within the region, from 110 percent in parts of Colorado to 61 percent in south-central Utah.

© 2016 The Associated Press. All rights reserved.

Citation: Dry soil to absorb some snowmelt heading to Colorado River (2016, April 22) retrieved 15 April 2024 from <https://phys.org/news/2016-04-soil-absorb-snowmelt-colorado-river.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.