

Getting a better read on how climate change threatens agriculture

May 18 2016, by Heather Stephenson



Avery Cohn of the Fletcher School and a team at Brown University focused on Mato Grosso, a state in Brazil that supplies 10 percent of the world's soybeans. Credit: Scott Bauer/USDA Agricultural Research Service

Climate change expected over the next decade may cause food production in a key agricultural region of Brazil to decline by up to 13



percent, according to research by Avery Cohn, assistant professor of environment and resource policy at the Fletcher School. The decline reflects both reductions in crop yield—how much is produced per area harvested—and how crop failures and farmers' decisions together lead to cultivating less land and growing only one crop in a season instead of two.

Changes in rainfall and temperature affect not just whether <u>crops</u> are abundant at harvest (the yield), but also whether they live that long, Cohn says. Because previous research has failed to account for losses from crops dying before they can be reaped, it may have underestimated the effects of <u>climate change</u> on the food supply.

Cohn and a team at Brown University focused on Mato Grosso, a state in Brazil that supplies 10 percent of the world's soybeans. Their research, published in the journal *Nature Climate Change*, suggests that an increase in temperature of 1 degree Celsius in Mato Grosso will lead to a 9 to 13 percent reduction in soy and corn production. Most of that decrease would be due to the combination of crop failure and farmers' decisions to sow fewer crops, rather than lower yields on the crops harvested.

"We're quite worried that the region's production is imperiled," Cohn says.

The researchers found that hot and wet conditions were associated with the largest losses and cool and dry conditions with the largest gains. They used satellite data from 2002 to 2010 to track land use and compared the changes to climate data.

Farmers in Mato Grosso are able to plant a second crop, which is usually corn, after they harvest their primary cash crop of soybeans. To do this successfully, the first crop needs to be planted on time, but a late start of the <u>rainy season</u> can delay this. Then, the first crop needs to be harvested



and the second planted at the height of the rainy season. If there is too much rain, it's hard to use equipment, which can put off the harvest of the first crop or the planting of the second, or both, Cohn says.

If the first crop of the season isn't well-timed, farmers may choose not to plant a second crop, perhaps because they lack crop insurance and fear even bigger losses. Understanding their decisions is a key step in helping to make farming more resilient in the face of climate change.

"Developing better crop varieties doesn't address the whole issue," Cohn says. "The farmers might need decision support through better weather forecasting and guidance on better management practices."

In his current research, Cohn is investigating whether more diversified farming, which involves planting multiple crops on a farm or maintaining a mix of livestock and crops, is more resilient in the face of climate change. He uses satellite information, <u>climate data</u> and information about management choices to determine whether some producers are faring better and why. Figuring out the answers to such questions can help guide agricultural policies and ensure a more stable food supply, which is important not only to feed the world's growing population, but also to maintain broad economic and political stability, Cohn says.

"Some amount of climate change is inevitable," he says. "So we're asking, How vulnerable is the agricultural system, and what are the remedies?"

Provided by Tufts University

Citation: Getting a better read on how climate change threatens agriculture (2016, May 18) retrieved 6 May 2024 from <u>https://phys.org/news/2016-05-climate-threatens-agriculture.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.