

Mercury in fish affected by both prey type and quality, study finds

May 9 2016



Whether fish hunt nearshore or in the open water and what prey they eat affect the amount of mercury that accumulates in them, a Dartmouth College study shows. Credit: literarymind via Foter.com / CC BY

Whether fish hunt nearshore or in the open water and what prey they eat affect the amount of mercury that accumulates in them, a Dartmouth College study shows.

The results are published in the journal *Science of The Total Environment*.

Mercury accumulation in [fish](#) poses well-known health risks to humans and wildlife, but fish mercury levels are highly variable and key factors driving this variability remain unclear. One little studied source of variation is the influence of habitat-specific feeding on mercury accumulation in lake fish. This is likely important because most lake fish feed in multiple habitats during their lives, and the mercury and caloric content of prey from different habitats can differ.

The Dartmouth team studied the effects of habitat-specific food sources on mercury bioaccumulation in lake fish using both a field study and a bioenergetics model. Their results showed that both prey type and quality affect the amount of mercury that fish accumulate. When fish feed on organisms that live around bottom-growing plants and on the mud in the nearshore areas (benthic organisms in the littoral zone), they accumulate less mercury than when they are feeding on plankton in the [open water](#).

There are two reasons for this: the bottom-dwelling prey have lower mercury concentrations but also are higher in calories, allowing the fish to gain weight more efficiently and grow faster. The plankton have higher mercury concentration but lower calories, so the fish grow less efficiently. With high growth in fish, the mercury is diluted, resulting in lower concentrations in their tissues. So, the bottom-feeding fish have both lower mercury concentrations and diluted growth.

"Since mercury in fish is a human health concern, it is important for us

to figure out why certain types of fish in certain types of lakes have higher concentrations of mercury," says co-author Celia Chen, a research professor of biological sciences and a project leader in Dartmouth's Toxic Metals Superfund Research Program. "There have been many studies of types of environmental conditions that favor higher mercury in fish, but fewer studies on the ecology of the fish themselves and how that affects their [mercury](#) bioaccumulation."

More information: Roxanne Karimi et al, Comparing nearshore benthic and pelagic prey as mercury sources to lake fish: the importance of prey quality and mercury content, *Science of The Total Environment* (2016). [DOI: 10.1016/j.scitotenv.2016.04.162](https://doi.org/10.1016/j.scitotenv.2016.04.162)

Provided by Dartmouth College

Citation: Mercury in fish affected by both prey type and quality, study finds (2016, May 9) retrieved 24 April 2024 from <https://phys.org/news/2016-05-mercury-fish-affected-prey-quality.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.