


Molybdenum disulfide holds promise for light absorption

May 5 2016, by David Ruth



Using a layer of molybdenum disulfide that was less than one nanometer thick, researchers in Rice University's Thomann lab were able to design a system that absorbed more than 35 percent of incident light in the 400- to 700-nanometer wavelength range. Credit: Thomann Group/Rice University

Mechanics know molybdenum disulfide (MoS₂) as a useful lubricant in

aircraft and motorcycle engines and in the CV and universal joints of trucks and automobiles. Rice University engineering researcher Isabell Thomann knows it as a remarkably light-absorbent substance that holds promise for the development of energy-efficient optoelectronic and photocatalytic devices.

"Basically, we want to understand how much light can be confined in an atomically thin semiconductor monolayer of MoS₂," said Thomann, assistant professor of electrical and computer engineering and of [materials](#) science and nanoengineering and of chemistry. "By using simple strategies, we were able to absorb 35 to 37 percent of the incident light in the 400- to 700-nanometer wavelength range, in a layer that is only 0.7 nanometers thick."

Thomann and Rice graduate students Shah Mohammad Bahauddin and Hossein Robatjazi have recounted their findings in a paper titled "Broadband Absorption Engineering To Enhance Light Absorption in Monolayer MoS₂," which was recently published in the American Chemical Society journal *ACS Photonics*. The research has many applications, including development of efficient and inexpensive [photovoltaic solar panels](#).

"Squeezing light into these extremely thin layers and extracting the generated charge carriers is an important problem in the field of two-dimensional materials," she said. "That's because monolayers of 2-D materials have different electronic and catalytic properties from their bulk or multilayer counterparts."

Thomann and her team used a combination of numerical simulations, analytical models and experimental optical characterizations. Using three-dimensional electromagnetic simulations, they found that [light absorption](#) was enhanced 5.9 times compared with using MoS₂ on a sapphire substrate.

"If light absorption in these materials was perfect, we'd be able to create all sorts of energy-efficient optoelectronic and photocatalytic devices. That's the problem we're trying to solve," Thomann said.

She is pleased with her lab's progress but concedes that much work remains to be done. "The goal, of course, is 100 percent absorption, and we're not there yet."

More information: Shah Mohammad Bahauddin et al. Broadband Absorption Engineering to Enhance Light Absorption in Monolayer MoS₂, *ACS Photonics* (2016). [DOI: 10.1021/acsphotonics.6b00081](https://doi.org/10.1021/acsphotonics.6b00081)

Provided by Rice University

Citation: Molybdenum disulfide holds promise for light absorption (2016, May 5) retrieved 3 May 2024 from <https://phys.org/news/2016-05-molybdenum-disulfide-absorption.html>

| |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|