

Botanical diversity unraveled in a previously understudied forest in Angola

June 20 2016



A partial view of Kumbira forest, Conda, Cuanza Sul. Credit: Francisco M. P. Gonçalves

Famous for hosting most endemic bird species in Angola, it comes as no surprise that the Kumbira forest in Angola has recently also revealed



great botanical diversity. Remaining understudied for a long time, a recent botanical survey in the region revealed impressive numbers of vascular plants including new records for the country and potential new species. The full account of the Kumbira forest diversity is published in the open access journal *Phytokeys*.

In June 2014, two dedicated botanists has finally headed to the central escarpment of western Angola, to explore and describe flora of the Kumbira <u>forest</u>. Under the framework of bilateral cooperation between Angola and the Republic of South Africa, in collaboration with Kew Herbarium in UK, Dr. David Goyder, Herbarium, <u>Royal Botanic</u> <u>Gardens</u>, Kew and Mr. Francisco M. P. Gonçalves, Herbarium of Lubango, ISCED-Huíla, Lubango, conducted a first of its kind botanical survey in the region.

The importance of Kumbira forest has been referred in various sources for hosting the major number of Angolan endemic bird species. Despite its suspected ecological importance, however, the plant diversity knowledge of Kumbira has been unknown so far.

Nowadays, the important Kumbira forest biome is threatened by human activities such as illegal logging, forest slash-and-burn agriculture, poaching, and the increasing distribution area of the invasive alien tree species "pan chock" Inga vera subsp. vera.

"To fill in the knowledge gap and call attention to the importance of Kumbira forest not only as a zoological, but also as a botanical hotspot, we undertook a botanical survey into Kumbira forest." explains Dr. Francisco M. P. Gonçalves.





A clearance of forest in Kumbira for agriculture purpose. Credit: Francisco M. P. Gonçalves

During the brief survey period between 10th-18th June 2014, the researchers were amazed to collect over 100 botanical specimens in flower or fruit. Three species collected represent news records for Angola and Guineo-Congolian biome and one is a potential new <u>species</u>.

"More work is planned in the future with the vision to contribute to the creation of a Gabela Natural Reserve, which Kumbira is a part of. Although the plans for this conservation are already proposed, they are not yet implemented and we hope more knowledge of the organism richness of the region will contribute to its realization," concludes Dr. Gonçalves.





Tarenna pavettoides (Harv.) Sim is one of the species collected in kumbira which represents new record for Angola. Credit: Francisco M. P. Gonçalves

More information: Francisco Maiato Pedro Gonçalves et al, A brief botanical survey into Kumbira forest, an isolated patch of Guineo-Congolian biome, *PhytoKeys* (2016). DOI: 10.3897/phytokeys.65.8679

Provided by Pensoft Publishers



Citation: Botanical diversity unraveled in a previously understudied forest in Angola (2016, June 20) retrieved 3 May 2024 from <u>https://phys.org/news/2016-06-botanical-diversity-unraveled-previously-understudied.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.