


Chemical exacerbates common bacterial infection, study says

June 23 2016, by Abigail Fagan



Inflamed area of a lung infected with *Pseudomonas* combined with 2,3-butanediol. Credit: Worgall Lab

A naturally produced chemical exacerbates infection by a common bacteria, rendering the infection significantly harder for the body to clear, according to new Cornell research.

The bacteria, *Pseudomonas aeruginosa*, is especially harmful for patients

with the lung disease [cystic fibrosis](#). Investigators hope this understanding will help facilitate the development of improved therapies.

The preclinical findings, published May 13 in the *ISME Journal*, explore the relationship between 2,3-butanediol, a chemical produced by the bacteria that naturally live in the lungs, and *P. aeruginosa*, a common bacteria that healthy patients clear easily but that stubbornly remains in cystic fibrosis patients, causing increased inflammation. The interaction between the two components, the study shows, yields an [infection](#) far more harmful than *P. aeruginosa* would create alone.

"It's always been a big mystery why patients with cystic fibrosis do so poorly once they have *P. aeruginosa* in the lung," said Dr. Stefan Worgall, distinguished professor of pediatric pulmonology and a professor of pediatrics and genetic medicine at Weill Cornell Medicine. "Our findings show that we not only have to look at the bacteria itself, but we also have to look at the interaction of the natural bacteria in the lung."

Scientists from Weill Cornell Medicine and the College of Agriculture and Life Sciences infected a group of mice with *P. aeruginosa* and another with *P. aeruginosa* combined with 2,3-butanediol. After three days, the mice with both factors had more than 100 times more of the bacteria in their lungs. The inability to eradicate the 2,3-butanediol-laden bacteria suggests why *P. aeruginosa* has posed such a significant problem for cystic fibrosis patients.

The findings also demonstrate that a concoction of naturally occurring [bacteria](#), known as a microbiome, exists in the respiratory tract – and that it can play an important role in influencing health.

Currently, cystic fibrosis patients take antibiotics continually if they are

diagnosed with the infection; however, the lengthy treatment is not always effective. The investigators hope their findings will lead to advances in keeping cystic [fibrosis patients](#) protected against infection.

"We need to understand the disease process better, and how this infection settles in the lung and interacts with the microbiome," said Largus Angenent, Cornell professor of biological and environmental engineering in Ithaca who co-directed the research. "That understanding is what will eventually lead to new therapies."

More information: Mytien Nguyen et al. The fermentation product 2,3-butanediol alters *P. aeruginosa* clearance, cytokine response and the lung microbiome, *The ISME Journal* (2016). [DOI: 10.1038/ismej.2016.76](#)

Provided by Cornell University

Citation: Chemical exacerbates common bacterial infection, study says (2016, June 23) retrieved 5 May 2024 from <https://phys.org/news/2016-06-chemical-exacerbates-common-bacterial-infection.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--