


3-D simulations illuminate supernova explosions

June 3 2016



Researchers from Michigan State University are using Mira to perform 3-D simulations of the final moments of a core-collapse supernova's life cycle. This visualization is a volume rendering of a massive star's radial velocity. In

comparison to previous 1-D simulations, none of the structure seen here would be present. Credit: Sean Couch, Michigan State University

In the landmark television series "Cosmos," astronomer Carl Sagan famously proclaimed, "We are made of star stuff."

At the end of their life cycles, these massive stars explode in spectacular fashion, scattering their guts—which consist of carbon, iron and basically all other natural elements—across the cosmos. These elements go on to form new stars, solar systems and everything else in the universe—including the building blocks for life on Earth.

Despite this fundamental role in cosmology, the mechanisms that drive supernova explosions are still not well understood.

"If we want to understand the chemical evolution of the entire universe and how the stuff that we're made of was processed and distributed throughout the universe, we have to understand the supernova mechanism," said Sean Couch, assistant professor of physics and astronomy at Michigan State University.

To shed light on this complex phenomenon, Couch is leading an effort to use Mira, the Argonne Leadership Computing Facility's (ALCF's) 10-petaflops supercomputer, to carry out some of the largest and most detailed three-dimensional (3-D) simulations ever performed of core-collapse supernovas. The ALCF is a U.S. Department of Energy (DOE) Office of Science User Facility.


After millions of years of burning ever-heavier elements, these super-giant stars (at least eight solar masses, or eight times the mass of the sun) eventually run out of nuclear fuel and develop an iron core. No longer

able to support themselves against their own immense gravitational pull, they start to collapse. But a process, not yet fully understood, intervenes that reverses the collapse and causes the star to explode.

"What theorists like me are trying to understand is that in-between step," Couch said. "How do we go from this collapsing iron core to an explosion?"

Through his work at the ALCF, Couch and his team are developing and demonstrating a high-fidelity 3-D simulation approach that is providing a more realistic look at this "in-between step" than previous supernova simulations.

While this 3-D method is still in its infancy, Couch's early results have been promising. In 2015, his team published a paper in the *Astrophysical Journal Letters*, detailing their 3-D simulations of the final three minutes of [iron core](#) growth in a 15 solar-mass star. They found that more accurate representations of the star's structure and the motion generated by turbulent convection (measured at several hundred kilometers per second) play a substantial role at the point of collapse.



Magnetohydrodynamic turbulence powered by neutrino-driven convection behind the stalled shock of a core-collapse supernova simulation. This simulation shows that the presence of rotation and weak magnetic fields dramatically impacts the development of the supernova mechanism as compared to nonrotating, nonmagnetic stars. The nascent neutron star is just barely visible in the center below the turbulent convection. Credit: Sean M. Couch, Michigan State University

"Not surprisingly, we're showing that more realistic initial conditions have a significant impact on the results," Couch said.

Adding another dimension

Despite the fact that stars rotate, have magnetic fields and are not perfect spheres, most one- and two-dimensional supernova simulations to date have modeled nonrotating, nonmagnetic, spherically symmetrical stars. Scientists were forced to take this simplified approach because modeling supernovas is an extremely computationally demanding task. Such simulations involve highly complex multiphysics calculations and extreme timescales: the stars evolve over millions of years, yet the supernova mechanism occurs in a second.

According to Couch, working with unrealistic initial conditions has led to difficulties in triggering robust and consistent explosions in simulations—a long-standing challenge in computational astrophysics.

However, thanks to recent advances in computing hardware and software, Couch and his peers are making significant strides toward more accurate supernova simulations by employing the 3-D approach.

The emergence of petascale supercomputers like Mira has made it possible to include high-fidelity treatments of rotation, magnetic fields and other complex physics processes that were not feasible in the past.

"Generally when we've done these kinds of simulations in the past, we've ignored the fact that magnetic fields exist in the universe because when you add them into a calculation, it increases the complexity by about a factor of two," Couch said. "But with our simulations on Mira, we're finding that magnetic fields can add a little extra kick at just the right time to help push the supernova toward explosion."

On the software side, Couch continues to collaborate with ALCF computational scientists to improve the open-source FLASH code and its ability to simulate supernovas.

But even with today's high-performance computing hardware and software, it is not yet feasible to include high-fidelity treatments of all the relevant physics in a single simulation; that would require a future exascale system, Couch said.

"Our simulations are only a first step toward truly realistic 3-D simulations of supernova," he said. "But they are already providing a proof-of-principle that the final minutes of a massive star evolution can and should be simulated in 3-D."

More information: Sean M. Couch et al. THE THREE-DIMENSIONAL EVOLUTION TO CORE COLLAPSE OF A MASSIVE STAR, *The Astrophysical Journal* (2015). [DOI: 10.1088/2041-8205/808/1/L21](https://doi.org/10.1088/2041-8205/808/1/L21) , arxiv.org/abs/1503.02199

Provided by Argonne National Laboratory

Citation: 3-D simulations illuminate supernova explosions (2016, June 3) retrieved 4 May 2024 from <https://phys.org/news/2016-06-d-simulations-illuminate-supernova-explosions.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--