

New evidence that forest fires do not threaten spotted owls

June 24 2016



Spotted Owl nesting in severely burned forest in southern California. Rachel Fazio

New Research on the California spotted owl has found that severely burned forests that have not been post-fire salvage logged are used by the threatened raptor when foraging for their small mammal prey. Stand-replacing fires, also called crown fires or high-intensity fires, do not harm spotted owl foraging habitat.

"We looked at spotted owl foraging behavior at multiple spatial extents and we found that whatever scale we used, the owls foraged in severely burned unlogged forests in proportion to their availability. In other words, they foraged in burned forest with the same likelihood as in unburned forest." said Monica Bond, lead author of the study.

Wildfires over the past two decades have affected southern California spotted owl habitat to a greater extent than elsewhere in the range of the subspecies. From 2003 to 2007, spotted owl territories in the region were especially affected by wildfire, with more than 40% of 168 breeding sites in the San Bernardino and San Jacinto mountains experiencing at least one fire.

"These frequent and hot fires make southern California forests a good indicator of what may happen in more northerly forests of California in a warming climate," said Bond. "Luckily, forests burned by high-severity fire can still be considered suitable foraging habitat for California [spotted owls](#)."

Bond continued, "We also found these spotted owls strongly selected foraging sites close to streambeds, so we recommend implementing protective measures and management activities that conserve water and streamside forests."

The study was published this week by scientists from the Wild Nature Institute and the Center for Biological Diversity in the *Journal of Wildlife Management*, a peer-reviewed scientific journal for professional

wildlife biologists.

This is the latest in a series of scientific papers that have documented how resilient spotted owls are to high-severity fires, including so-called megafires. Spotted owl pairs have been shown to survive and continue to reproduce in breeding sites that experienced severe fire, even megafire, with success that is the same or higher than unburned sites. Spotted owls have also shown a significant preference for foraging in severely burned forest patches in the Sierra Nevada. However, post-fire salvage logging, also called forest restoration by the US Forest Service, causes site abandonment and reduces survival. Logging in an attempt to reduce the risk of fire, often called thinning or fuels reduction, also has adverse effects on spotted owls. The only studies that claimed forest fires hurt spotted owls have had logging in large portions of the study area.

"It's high time we stopped managing our forests with the futile and unnecessary goal of stopping severe fires. All the science from the field says fuel buildup and insects don't make forest fires worse. It is extreme weather like the Santa Anna winds in southern California that push fires to become very large, but we will never be able to stop these weather-driven blazes, so we should not risk our firefighter's lives out in the wildlands. Instead, we should repurpose the billions of dollars we waste each year fighting wildfires on making structures fire-safe in our forest communities," said Dr. Derek Lee, a co-author of the study. "Many native plants and animals thrive in the severely burned unlogged forest, and that response tells us that this kind of [fire](#) is natural and necessary to the ecology of the [forest](#)."

More information: Monica L. Bond et al. Foraging habitat selection by California spotted owls after fire, *The Journal of Wildlife Management* (2016). [DOI: 10.1002/jwmg.21112](https://doi.org/10.1002/jwmg.21112)

Provided by Wild Nature Institute

Citation: New evidence that forest fires do not threaten spotted owls (2016, June 24) retrieved 20 April 2024 from <https://phys.org/news/2016-06-evidence-forest-threaten-owls.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.